THE PLANT DISEASE REPORTER

Issued by

PLANT DISEASE EPIDEMICS AND IDENTIFICATION SECTION

INDEX TO VOLUME 39

Prepared by Nellie W. Nance

Horticultural Crops Research Branch — Plant Industry Station, Beltsville, Maryland
Volume 39 — Index Number

AUTHOR INDEX

AFANASIEV, M. M., (460), (722)
AGUILAR F., PEDRO, (12)
AGUSIOBO, PATRICK C., (633)
ALANDIA B., SEGUNDO, 407
ALCORN, STANLEY M., 210
ALLISON, J. LEWIS, (183), 343
AMMANN, ALFRED, (219)
ANDERSON, C. W., 345, 349, 354
ANDES, J. O., 280
ANDREWS, O. N., (773)
ARK, PETER A., (210), 926
ATKINS, JOHN G., 69, 221
AYCOCK, ROBERT, 409, 607
AYERS, T. T., 829, (837)

BAILEY, J. S., (879)
BARNES, JOHN M., (380)
BAXTER, JOHN W., 239, 658, 659
BAYLIS, R. J., 159
BEACH, W. S., 15
BEAL, JOHN M., 558
BEECHER, F. S., 220, (731)
BEGA, ROBERT V., (283)
BELL, FRANK H., (407)
BELL, W., (115)
BENEDICT, W. G., 457
BENSON, LEE C., (273)
BERAHA, LOUIS, 98, 132
BERGESON, G. B., 705
BERRY, FREDERICK H., 270
BEVER, WAYNE M., (591)
BIRCHFIELD, W., (3)
BISHOP, C. F., (914)
BOEWE, G. H., 384
BONDE, REINER, 86, 120
BOOSALIS, M. G., 751
BOOTHROYD, CARL W., 380
BOSHER, J. E., (371)
BOYCE, H. R., (171)
BOYER, M. G., 475
BOYLE, ALICE M., 425
BRASE, K. D., 358
BRAUN, A. J., (908)
BRAZZEL, JAMES R., 583
BRETZ, T. W., 495, (498), (658), (872)
BRIERLEY, PHILIP, 33, (35), 152, 719, 899
BROOKS, TROY L., 309
BROWN, A. R., (17)
BRUEHL, G. W., 157, 547
BURTON, GLEN W., 344
BUTLER, KARL D., 342

CALAVAN, E. C., (665)
CAMPANA, R. J., (64), 245, 985
CARTER, H. E., (219)
CARTER, J. C., (245)
CAVENESS, FIELDS E., 710
CEPONIS, M. J., 989
CHAMBERLAIN, G. C., 312
CHELDELIN, VERNON H., (684)
CHENEY, PHILIP W., 543, (725)
CHEO, PEN CHING, 405
CHILDS, J. F. L., (810)
CHRISTIANSEN, D. W., (665)
CIFERRI, R., 785
CLAYTON, C. N., 128
COCHRAN, L. C., (889)
COE, DONALD M., 215, 729
COLE, HERBERT, Jr., (491)
CONOVER, ROBERT A., (103), 611
COOK, A. A., 184, 233, 585
COURTNEY, WILBUR D., 570
COX, JOHN A., (678)
COX, R. S., 48, 421, 478, 484, 616
CRAIGHEAD, F. C., (867)
CROSSAN, D. F., 480
CROWDER, LOY V., (756)
CULVER, ANDREW J., Jr., 433
CURL, E. A., 977

DAINES, ROBERT H., 617, 739
DALLIMORE, C. E., 511
DARBY, J. F., 91
DARROW, GEORGE M., 363
DAVIS, J. M., (61)
DECKER, PHARES, (416)
DESLANDES, JOSUÉ AUGUSTO, 825
DÍAZ, ALFONSO QUEVEDO, 477
DICKSON, R. C., 445
DIEHL, WILLIAM W., 334
DIENER, URBAN L., 918
DIMOCK, A. W., (875)
DOOLITTLE, S. P., (152), 731
DOSDALL, LOUISE T., 779
DOUGHTY, CHARLES C., (781)
DRAKE, C. R., 51
DROLSOM, P. N., 703

DUNEGAN, JOHN C., (132), (134)
DUNLEAVY, JOHN, 169

EAKS, I. L., (202)
EARHART, R. W., 947
EGLITIS, MAKSIS, (781)
ELLIOTT, EDWARD S., 318, 332
ENGELHARD, ARTHUR W., 254
ENGLE, H. B., (15)
ENGLISH, HARLEY, (504)
EPPS, WILLIAM M., 89
ESLICK, R. F., 722
EVANS, C. D., (944)

FASSULIOTIS, G., 572
FEDER, WILLIAM A., 395
FELDMESSER, JULIUS, 13, (395)
FELIX, E. L., 275, 882
FELLOWS, HURLEY, (29), 291
FENNE, S. B., 520, (695)
FENWICK, H. S., (685)
FERGUS, CHARLES L., 491, (867), 873
FERRELL, WILLIAM K., (500)
FERRIS, J. M., 875
FEZER, K. D., (316)
FIELDING, MAX J., (69), (221)
FORSBERG, J. L., 106
FORTUÑO, J. VÉLEZ, (283)
FOSTER, H. H., (944)
FOSTER, R. E., (418)
FRAZIER, NORMAN W., 143
FRIDLUND, PAUL R., 545, 807
FRIEDMAN, B. A., 37, 659, (989)
FRYXELL, PAUL A., (690)
FULTON, ROBERT W., 284, 799
FUSHTEY, S. G., 378
FUTRELL, M. C., 853

GAINES, J. G., (597)
GALLEGLY, M. E., 914
GARREN, KENNETH H., 339
GARRISS, H. R., (228)
GEORGE, ALAN, (226)
GERDEMANN, J. W., 859
GILLESPIE, WILLIAM H., 783
GILMER, R. M., 194, 727, 762
GODFREY, G. H., 185
GOHEEN, A. C., 31, 141, 879, 904, 906, 908
GOLD, A. H., (622)
GOODMAN, R. N., (487), 922
GORE, U. R., (17)
GOTTLIEB, DAVID, 219
GOULD, CHARLES J., 781
GOURLEY, C. O., 808
GRANEK, IRVING, 716
GRANT, T. J., (810)
GRAY, REED A., 567
GRIMM, GORDON R., 810
GROGAN, R. G., 803
GUBA, EMIL F., 747, 771

HADDEN, S. J., 628
HADLEY, B. L., Jr., 58, (61)
HALISKY, P. M., (989)
HALL, BETSY, 150
HANSEN, H. N., 283
HANSING, E. D., (670)
HARDISON, JOHN R., (685), 749
HARE, W. W., 580
HARRIS, H. B., 329
HARRISON, A. L., (185)
HARRISON, D. S., (48)
HARRISON, H. F., (628)
HART, S. W., 185
HARTWIG, E. E., (174), (177)
HARVEY, P. H., 973
HEBERT, T. T., 20, (973)
HELTON, A. W., 623, 931
HENSON, LAWRENCE, (697)
HEPTING, GEORGE H., 261
HEWITT, WILLIAM B., (150)
HILDEBRAND, A. A., 171
HOLDEMAN, Q. L., 5
HOLLIS, JOHN P., (69), (221)
HOLTON, C. S., 842
HOOKER, A. L., 381, 963
HORN, N. L., (678)
HOWARD, F. D., (302)
HSI, C. H., 373
HUBERT, ERNEST E., 500
HUFFMAN, M. D., 25
HYRE, R. A., 473

JACOB, F. C., (397)
JEFFERY, A. R., (54), (58)
JENKINS, ANNA E., 516
JENSEN, HAROLD J., (710)
JOHNSON, FREDERIC D., (500)
JOHNSON, HOWARD W., 342
JOHNSTON, C. O., (463), 643
JONES, LAURENCE S., (889)
JONES, T. W., 498, 872

KIENHOLZ, JESS R., 208
KILPATRICK, R. A., 174, 177, 578
KING, CLAUDE L., (29)
KING, T. H., (545), (807)
KIRBY, R. S., 14
KLINKENBERG, CAROLINE H., 603
KLOMPARENS, WILLIAM, (569)
KLOTS, L. J., (202)
KOCH, W. J., (887)
KOEHLER, BENJAMIN, 164
KREITLOW, K. W., 181, (183), 236, 343
KRUPKA, L. R., (480)
KUNTZ, J. E., (51)

LAMBERT, E. B., (829), (837)
LEAPHART, CHARLES D., 314
LEAR, BERT, 397, (875)
LENTZ, PAUL L., 654, 697, 822

LEUKEL, R. W., (644)
LEVINE, M. N., (643)
LEYENDECKER, PHILIP J., Jr., (589)
LIGHTLE, PAUL C., 983
LOCKE, CLARENCE M., 518
LOGSDON, CHARLES E., 274
LORDELLO, LUIZ GONZAGA E., 310
LORING, L. B., 334
LUCAS, G. B., (887)
LUTTRELL, E. S., (329), 756

MACHACEK, J. E., 166
MacNEILL, BLAIR H., 45, 191
MAI, W. F., (875)
MANZELLI, M. A., 400
MARAMOROSCH, KARL, 896
MARLATT, ROBERT B., 213, 414, 824, 827
MARTIN, HUBERT, 561
MARTIN, W. J., 3, 619, 673, 678
McCLELLAN, W. D., 226
McKEEN, W. E., 371
McMULLEN, L. H., 51
McNABB, HAROLD S., Jr., 437
McNEAL, F. H., 460
McNELLY, L. B., (302)
MEINERS, JACK P., 161, (685)
MILBRATH, J. A., (725)
MILLER, J. H., 17
MILLER, P. W., 68
MILLER, PAUL R., 285
MILLER, V. L., (570)
MILLIKAN, D. F., 240, 658
MILLS, W. D., 206
MITCHELL, JOHN W., (558)
MOISEY, J. A., (911)
MOORE, E. L., (703)
MOORE, W. D., 103, 470
MORA, HUMBERTO BARQUERO, 582
MOREY, DARRELL D., (17), 960
MORGAN, B. S., 487
MORRIS, C. L., 61, 258
MOSEMAN, J. G., 967
MURPHY, H. C., (23)
MURPHY, R. P., (881)

NATTI, JOHN J., 386, 909
NELSON, R. R., 818
NEWBURGH, R. W., 684
NICHOLS, CARL W., (504)
NICOLAISON, H., (334)
NITZANY, F., (277)
NORRIS, DALE M., Jr., 249
NYLAND, GEORGE, 573

OGAWA, JOSEPH M., 504
OSTAZESKI, STANLEY A., 591
OTEIFA, BAKIR A., 902, 989
OTTO, HARLEY J., (380)
OWEN, JOHN H., 242, 467

PADY, S. M., 296, 463
PALTI, J., 277
PARKER, K. G., (358)
PATE, JAMES B., (650), 776
PERSON, L. H., 228, 334, 597, 887
PETERSEN, DONALD H., 134, 576
PETURSON, B., (23)
PICKETT, R. C., (802)
PLAKIDAS, A. G., 243, 519, 525
POLLEY, DOROTHY, (570)
POOS, F. W., 183
PORTER, R. H., 688
PRAMER, D., 118
PRESTON, WILLIAM H., Jr., (558)
PURDY, LAURENCE H., (842), 844, 850

RAABE, ROBERT D., 509, 658, (693)
RAMAMURTHI, C. S., (316)
RANKIN, HARVEY W., 455
RAY, W. W., 438
REED, H. E., 882
REEVES, E. L., (543), 725
REVILLA M., VICTOR A., 424
RICH, AVERY E., 305, 307
RIVERS, G. W., (853)
RILEY, E. A., 737
ROANE, C. W., 695
ROBERTS, D. A., 316, 881
ROISTACHER, C. N., 202
RUEHLE, GEO. D., 815

SASSER, J. N., (9)
SCHAFER, JOHN F., (755)
SCHNATHORST, W. C., (803)
SCHNEIDER, C. L., 453
SCHNEIDER, I. R., 64, (985)
SCHROEDER, W. T., (909)
SCHULTZ, E. S., (300)
SCHWINGHAMER, E. A., 322
SEGALL, R. H., 283
SEGURA, CONSUELO BAZÁN de, 12, 477
SELF, R. L., (860)
SHAFER, THELMA, (13)
SHENEFELT, R. D., (51)
SHERWOOD, R. T., (316)
SILBERSCHMIDT, K., 555
SILL, WEBSTER H., Jr., 29, (291), 633, 670, 802
SIMONS, M. D., 23, 949, 956
SISLER, W. W., (550)
SKOTLAND, C. B., (9), 682
SMALLEY, EUGENE B., (693)
SMITH, ALBERT L., 773
SMITH, FLOYD F., (33), 35, (152)
SMITH, J. E., Jr., (240)
SPARROW, A. H., (572)
SPILKER, OREN W., 429
SPRAGUE, RODERICK, 820, 989
STAFFELDT, EUGENE E., 589, 690
STAMBAUGH, WILLIAM J., (491), 867
STEVENSON, EUGENE E., (881)
STEVENSON, JOHN A., 597, 793
STEWART, J. K., 418
STOVER, W. S., 864
STRONG, FORREST C., 569

SUMMERS, THOMAS E., 650, (776)

TARJAN, A. C., 185, (405), 812
TAYLOR, G. S., (79)
TAYLOR, N. L., 697
THOMAS, C. A., 652
THOMPSON, B. D., 416
THOMPSON, D. L., (973)
THOMPSON, H. E., (54), 58, (61), (867)
THORNBERRY, H. H., 801
TIMIAN, R. G., 550
TIMONIN, M. I., 860
TIMS, E. C., 746
TINGEY, D. C., 163, 325
TOKO, H., (547)
TOMLINSON, N., 148
TOOLE, E. RICHARD, 66, 657, (864), 874
TOWNSHEND, J. L., (312)
TRUE, R. P., (783)

ULLSTRUP, ARNOLD J., 839

VAKILI, NADER G., 755
VALLEAU, W. D., 231
VAN BLARICOM, L. O., 944
VAN DER WANT, J. P. H., 553
VAUGHAN, EDWARD K., 542, 893

WADE, EARL K., (284)
WADSWORTH, D. F., (438)
WAGGONER, PAUL E., 79
WALLACE, J. M. (665)
WALLACE, M. ANGELA, (115)
WALLEN, V. R., 115, 124, 674
WALTERS, H. J., 101
WATSON, ALICE J., (518)
WATSON, R. D., 391
WEAR, J. I., (773)
WEATHERS, L. G., 665
WEAVER, L. O., (822)
WEBB, R. E., 300
WELCH, J. E., (36)
WELLS, HOMER D., (756)
WIEDMAN, HAROLD W., (542), (893)
WILHELM, STEPHEN, (226), 273, 693, 881
WILLIAMS, C. F., (904)
WILSON, NORTON S., 889
WILSON, ROY A., (132)
WINSTEAD, N. N., 9
WOLFE, H. R., 296
WOOD, JESSIE I., (285)
WRIGHT, JOYCE M., (118)
WRIGHT, N. W., 587

YAGER, C. S., (48)
YAMAGUCHI, M., 36, 302
YARWOOD, C. E., 618, 622
YERKES, WILLIAM D., Jr., 47
YOUNG, GEORGE Y., 266
YOUNG, H. C., (429)
YOUNG, H. C., Jr., 438
YOUNG, P. A., 656
YOUNG, T. W., 815
YOUNT, WILLIAM L., 54, 256
YU, HELEN SHERWIN, (181), (236)

ZENTMYER, GEORGE A. (509)

SUBJECT INDEX

Aabula and Aaventa, organic mercurials used in Netherlands, tested for control of Heterodera rostochiensis, 13
Abyssinia, 550
Acer mono: Verticillium wilt, 882
--- negundo: red stain, 66
--- negundo var. californica: Armillaria mellea, 658
--- palmatum: Verticillium albo-atrum, 1st rept. from Calif., 693
Aceria tulipae, 296
Acromoniella, 676
Acti-dione, 124, 133, 569, 762, 779; produced by Streptomyces griseus, 491; sprays on cantaloup, 824
Actinomycete antibiotics, 118
Aecidium aesculi, and Puccinia andropogonis, proof of connection between, 658
Aeluropus sp.: Puccinia aeluropi, 1st rept. from Turkey, 518
---littoralis, Puccinia aeluropi, 1st rept. from Afghanistan, 518
---macrostachyus: Puccinia aeluropi, 518
Aesculus glabra: Aecidium aesculi, and Andropogon gerardi: Puccinia andropogonis, connection between, 658
Agrilus bilineatus, 867
Agrimycin, 120, 128, 213, 729
Agrimycin-100, 480
Agrimycin-ferbam, 14
Agrimycin plus tribasic copper, 729
Agrobacterium tumefaciens, 425, 929
Agropyron spp.: crown rust, 322
--- cristatum: dwarf bunt, 1st rept. from North America (Oreg., Idaho), 686
--- desertorum: dwarf bunt, 1st rept. on this host (Oreg. Idaho), 686
--- elongatum: dwarf bunt, 686
--- intermedium: dwarf bunt, 686
--- orientale: dwarf bunt, 686
--- repens: dwarf bunt, 686; Helminthosporium leaf spot, 332; Xanthomonas streak, 751
--- rigidum var. tomentosum: dwarf bunt, 686
--- sibiricum: dwarf bunt, 1st rept. on this host (Idaho), 686
--- subsecundum: dwarf bunt, 686
Agrostis canina: yellow tuft, in Rhode Island, 185
Agrox, 580, 647, 648, 688, 844, 850
Alabama, 7, 18, 35, 339, 644, 860, 874, 918, 952, 977
Alaska, 274
Albizzia julibrissin: vascular wilt, performance of wilt-resistant trees in high-hazard areas, 874
Aldrin, 106
Aldrin emulsion, 107
Alfalfa: anthracnose, 239; bacterial wilt, 239; black stem, 239, 520; crown wart, 1st rept. from Ky., 697; diseases in eastern China, 786; Ditylenchus dipsaci, 520, systemic phosphates for control of, 705; downy mildew, 239, 316, 520; freeze injury, 520; Fusarium crown bud rot, 316; leaf spot, 239; Leptosphaeria leaf spot, 1st rept. in Iowa, 239; mosaic (virus), 520; root rot (Fusarium spp.), 239; rust, 239; Stagonospora leaf spot, 316; stem and crown rot, 520; Stemphylium leaf spot, 316; yellow leaf blotch, 239
Allium spp.: rust, 98
Allyl bromide, 714
Alnus glutinosa: Valsaria megalospora in Europe, 334
--- rubra: Valsaria megalospora (Ore.) 1st rept. in this country, 334
Alternaria sp(p.), 175, 178, 270, 578, 667, 676, on oats, 591, Ricinus communis, 184, Starr millet, 760
--- cucumerina, 220
--- solani, 185, 274, 407
--- tenuis, 329, 339
--- tomato, 185
Alysicarpus vaginalis: Glomerella cingulata, 576
Amaranthus sp.; Meloidogyne incognita, 3; M. incognita var. acrita, 3
--- retroflexus: Orobanche ramosa, 273
American Phytopathological Society meetings, at Atlanta, announcement, 698; Potomac Division meetings, 186
Ammate, 492
Andean disease, of potato in South America, 477
Anguina tritici, 17
Angular leaf spot, of cucumber, 220, 731; Trifolium pratense, 239
Annulus tabaci, 457
Anthracnose, of alfalfa, 239; Cornus florida, 333; Digitalis lanata, 284; Digitalis purpurea, 284; Melilotus, 239; oats, 18; Rosa spp., 517; sorghum, 330; sycamore, 64; tobacco, 282, 597; Virginia creeper, 516
---, Madrone, of Arbutus unedo, 516
---, northern, of Trifolium pratense, 239
---, southern, of Trifolium pratense, 239
---, spot, of Cornus florida, 467; Ilex cornuta, 243
Anthracnoses, of Trifolium pratense, clover root borer a vector of, 183
Antibiotics: Acti-dione for control of stem rust of wheat, 124; effect on growth of Tilletia caries, 684; phytotoxic effects of five actinomycete antibiotics, 118; treatment of seed potatoes with Agri-

mycin, streptomycin nitrate, 120
--- and antibacterial substances, in vitro sensitivity of plant bacterial pathogens to, 487
Anticarie, 648, 842, 844, 850
Anticarie SD, 378
Antirrhinum majus: tomato aspermy virus, 153
Anuraphis helichrysi, 154
Aphelenchoides, 185, 401, 814
--- besseyi, 3
--- fragariae, 605
--- ritzema-bosi, 605
Aphelenchus, 185
Aphid vectors, working list of names, useful in dealing with viruses, 445
Aphis gossypii, 154
Apple: blossom blight control with antibiotic sprays, 923; cedar rusts, 280, 985; diseases in eastern China, 786; fire blight, 206, 280, control by streptomycin, 128, late season twig infection a factor limiting effectiveness of antibiotics for control of, 922; powdery mildew, 128, comparison of fungicides for control of, 132, sprays, compatibility of Polybor with, 820; scab, 280
Arasan, 115, 329, 580, 756
Arasan SF-X, 107, 648, 688
Arbutus unedo: Armillaria mellea, 658, Madrone anthracnose, 516
Argentina, 656
Arizona, 213, 414, 425, 824, 827, 892
Arkansas, 7, 141, 363, 368, 952
Armillaria mellea, 68, 658, 929
Arrhenatherum elatius: dwarf bunt, 686
Arsenical leaf injury, of Corylus sp., 930
Arundinaria: Puccinia longicornis, 518
Asclepias curassavica: cucumber-mosaic virus in Brazil, 555
--- syriaca: cucumber-mosaic virus, natural host in U. S., 555
Ascochyta agropyrina, 319
--- caulicola, 239
--- hordei, 319, 332
--- imperfecta, 239, 317, 520
--- lethalis, 239
--- pisi, 475, 674
--- sorghi, 320
--- sorghina, 330
Asia, 781
Asparagus: Botrytis die-back in N. H., 1st rept. on this host in U. S., 305
Aspergillus sp(p.), 175, 178, 676; on oats, 591; shallot, 746; sorghum, 329; Starr millet, 760
--- niger, 175, 178
Aureomycin, 731
Australia, 157
Avocado, see Persea
Azalea: flower spot, 467
B856C, 117
Bacitracin, 684
Bacterial blight, of bean, 567; celery, 484; Corylus sp., 68, 929; Juglans regia, 926, 929; Pinto bean, 213; soybean, 169, 579
--- leaf spot, of soybean, 280
--- pustule, of soybean, 169, 579
--- ring rot, of potato, 274
--- scab, of gladiolus, 106
--- soft rot, of lettuce, 421; potato, 587; Zantedeschia spp., 779
--- spot, of pepper, 616; tomato, 215, 611
--- stripe, of sorghum, 330
--- wilt, of alfalfa, 239; corn, 384
Bacterium stewartii, 164, 384
Bamboo, see Arundinaria
Barley: Ascochyta hordei, 332; brome mosaic virus, 802; cereal yellow dwarf virus, Washington strain, 547; Helminthosporium teres, 332; leaf rust, 19, 948, dwarf leaf rust, 332; leaf spot (undet. cause), 1st rept. in Va., 695; loose smut, 18, 19, 281, 948, new method of control 20; physiological spotting, 19; powdery mildew, 18, 281, 948, sources of resistance to, 967; scald, 19, 281, 332, 948; Sclerospora macrospora, 1st rept. in Va., 695; spot blotch, 281, 948; stripe, 18, 948; stripe mosaic virus (false stripe), 550, 670, influence of time of infection on symptoms, plant yield and seed infection of, 722; Xanthomonas translucens var. undulosa, 751
Basic copper carbonate, 562
--- --- chloride, 562
--- --- sulphate, 562
Bean (see also Phaseolus): bacterial blight, streptomycin plus glycerin increases effectiveness against, 567; Belonolaimus gracilis, 5; charcoal rot, 234; diseases in eastern China, 786; halo blight, 567; Meloidogyne incognita var. acrita, 3; mosaic virus, color test to detect, 558; pod mottle virus, color test to detect, 558; Pseudomonas phaseolicola, 481; Rhizoctonia root rot, chemical soil treatments for control, 103; root rot, yield increased by irrigation, 101; Sclerotinia wilt, 47
Bean, broad: diseases in eastern China, 786
---, Dolichos: diseases in eastern China, 787
---, lima: Belonolaimus gracilis, 5; cucumber mosaic virus, 346; downy mildew, 473; Helicotylenchus sp., 3; Meloidogyne incognita, 3; effect of ammonia and nitrate ions as nitrogen source on infection by, 902; Pratylenchus

brachyurus, 3
--- , Pinto: bacterial blight, 213
Beet: diseases in eastern China, 786; insect injury, 659; Meloidogyne incognita var. acrita, 3; tomato aspermy virus, 153
Beet, sugar: curly top virus, color test to detect, 558
--- ---: curly top virus in Illinois 801, in Minn. and Iowa 453
--- --- diseases in eastern China, 790; scurf, 654; tobacco ring spot virus, 803; yellows virus, color test to detect, 558
Belonolaimus gracilis, 3, 226, 818; distribution in Southeast, 5
Bentgrass, see Agrostis
Birdsfoot trefoil, see Lotus
Bitterness, carrot, 302
Blackfire, of tobacco, 282
Blackleg, of potato, 120, 274
Black-line, of Juglans regia, 68, 929
Black mildew, of Lippia canescens, 425
Black root rot, of strawberry, 603, 879
Black shank, of tobacco, 282
Black stem, of alfalfa, 239, 520; Melilotus, 239; Trifolium pratense, 239
Blight, of sweetgum, 266, 270, 864; walnut, 68
---, pod and stem, of soybean, 579
---, twig, of Juniperus spp., 333
---, Victoria, of oats, 18
Blotch, of wheat, 17
Blueberry: parasitic nematodes associated, 908
Blue mold, of citrus, 202; Nicotiana repanda, 231; pineapple, 659
--- ---, of tobacco, 14, 79, 228, 231, 282, 467, 887
Bolivia, 407
Book review: The Plant Quarantine Problem, 284
Borax, 409
Bordeaux mixture, 562, 763
Botryosphaeria ribis var. chromogena, on Cercis canadensis, 333
Botrytis, 270, 833; on carrot, 274; potato, 274; shallot, 746; soybean, 171
--- bulb rot, of onion, 274
--- cinerea, 91, 280, 305
--- damping off, of lettuce, 274
--- fruit rot, of cucumber, 274; squash, 274
--- ricini, 283
--- stem rot and leaf spot, of tomato, 274
Boxelder, see Acer
Brambles: Pratylenchus sp., abundant in roots of certain varieties in June, 904
Brazil, 555, 825
Breeding, for disease resistance in grassland crops, 344
Bremia lactucae, 421
British Columbia, 148, 371, 587
Brittle root, of horseradish, 801
Bromus commutatus: Xanthomonas streak, 751
--- inermis: brome mosaic virus, 802
--- tectorum: Xanthomonas streak, 751
--- vulgaris: Ophiobolus graminis, 989
Bronze leaf spot, of soybean, 578
Broomrape, see Orobanche
Brown rot, of peach, 280
Brown spot, of corn, 973; soybean, 170
Brown stain, of Corylus sp., 68, 930
Brown stele, of lettuce, 827
Brown stem rot, of soybean, 170
Bud rot, of corn, 283
Bulgaria, 518
Bunt, of wheat, 166, 684, 842
Burgundy mixture, 562

Cabbage: Belonolaimus gracilis, 5; downy mildew, fungicides for control, 89; yellows resistant varieties in Arizona, 414
--- and allied species: diseases in eastern China, 786
Cadminate, 758
Caladium bicolor: Botrytis ricini, 1st rept. on this host (Calif.), 283
Calcium hypochlorite, 834
--- sulfamate plus B-1956, 64, 986
Calendula officinalis: tomato aspermy virus, 153
California, 36, 141, 143, 202, 208, 273, 302, 397, 504, 509, 547, 573, 618, 622, 644, 652, 658, 659, 665, 693, 705, 803, 881, 889, 896, 926, 952
Callistemon rigidus: Cylindrocladium scoparium, 1st rept. on this host (Ala.), 860
Callistephus chinensis: tobacco-rattle virus, transmission by dodder, 553; tomato aspermy virus, 153
Camellia: petal blight, 519
--- japonica: Clitocybe tabescens, 1st rept. on this host (La.), 519
Canada, 166, 228, 322, 686, 781
Candicidin, 125, 210, 684
Canker, of Sophora japonica, 597
--- and die-back, of Ficus carica, 822
--- and twig blight, of Morus rubra, 657
Cantaloupe (see also Cucumis): Acti-dione sprays, 824; Fusarium wilt, 1st rept. in N. C., 334; leaf blight, 220; Meloidogyne incognita var. acrita, comparison of methods of fumigation for control, 607
Capsicum frutescens: mosaic (virus), 346; tomato aspermy virus, 153
Captan, 104, 133, 739, 765, 780, 844, 919, 944
Captan-zineb, 922
Carex sp.: Ophiobolus graminis, 989
Carpophilus sayi, 868

Carrot: bitterness, California-grown, 302; Botrytis rot, 274
Carthamus tinctorius: rust (new race), 652
Cassia chamaecrista: Pratylenchus brachyurus, 3
Castanea spp.: diseases in eastern China, 787; oak wilt, 495
Castanopsis sp.: oak wilt, 495
Castorbean, see Ricinus
Catalpa speciosa: Verticillium albo-atrum, 1st rept. from Calif. 693
Cathomycin, 684
Caucasus, 686
Cauliflower: Belonolaimus gracilis, 5
CBP, 714
CC-974, 914
Ceanothus arboreus: Armillaria mellea, 658
Celery: aster yellows (virus), 36; bacterial blight, Agrimycin and neutral coppers gave high degree of control, 484; Belonolaimus gracilis, 5; diseases in eastern China, 786; Paratylenchus hamatus, control of, 307
Celosia argentea var. cristata: tomato aspermy virus, 153
--- nitida: Radopholus similis, 309
Cephaleuros virescens, on Ilex cornuta, 243
Cephalosporium, 676
--- gregatum, 170
Ceratostomella ulmi, 245, 882
Cercis canadensis: Botryosphaeria ribis var. chromogena, 333
Cereals: diseases in eastern China, 786
Cercospora davisii, 239
--- kikuchi, 175, 178, 578
--- loti, 236
--- medicaginis, 239
--- nicotianae, 282
--- pastinacae, 747
--- sorghi, 330
--- zebrina, 239, 317
Cercosporella narcissi, 748
--- pastinacae, 747
Ceresan, 758
Ceresan M, 378, 580, 647, 648, 758, 779, 842, 844, 850
Ceresan M-2X, 166, 648, 844
Ceresan, New Improved, 106
Ceylon, 518
Chaetocnema pulicaria, 387
Chaetomium sp., 175, 178; on pea, 677
Chamaecyparis obtusa: Armillaria mellea, 1st rept. from Calif. 658
Charcoal root rot, of soybean, 578
--- rot, of bean, 234; Ricinus communis, 233; Sesamum indicum, 234; sorghum, 330; soybean, 170
Chemical formulations tested as seed treatments for wheat smut control in nurseries in Pacific Northwest, 844
Chemicals, for maintaining cultures of Panagrellus redivivus for nematocide screening, 405
Cherry, mahaleb: necrotic ring spot (virus) seeds as carriers of, 727
Cherry nursery stocks: leaf spot, 762; powdery mildew, 762
Cherry, sweet: Microstroma tonellianum, 1st rept. on this host (Mass.), 697
Cherry, sweet: ring spot (virus), symptoms and related disorders, 623
Cherry, sweet: tatter leaf, 627
Cherry: western X-disease virus, transmission by leafhoppers, 298
Chestnut, see Castanea
China, 11, 518
---, eastern: preliminary list of noteworthy diseases of cultivated plants, 785
Chloramphenicol, 118
Chloranil, 20, 104, 919
Chlordane, 915
Chloromycetin, 731
Chlorotic fleck, on prune trees propagated on Myrobalan rootstock, 358
Chlortetracycline, 118
Chokecherry: western X-disease virus, transmission by leafhoppers, 298
Chrysanthemum: flower-distortion virus, Blazing Gold best test variety, 899; ring spot (virus), 1st report on this host (Ala.), found in combination with chrysanthemum stunt virus, 33; stunt virus, color test to detect, 558
--- frutescens: tomato aspermy virus, 153
--- leucanthemum: aster yellows (virus), 300; tomato aspermy virus, 153
--- morifolium: tomato aspermy virus, 153
--- parthenium f. flosculosum: tomato aspermy virus, 153
Chrysomyxa ledi var. rhododendri, 781
--- piperiana, 781
Cinnamomum camphora: Verticillium albo-atrum, 1st rept. on this host (Calif.), 693
Circulifer tenellus, 453
Cistus purpureus: Verticillium albo-atrum 1st rept. on this host (Calif.), 693
Citrus: Belonolaimus gracilis, 7; bud-union and rootstock disorder of Troyer citrange with Eureka lemon tops, virus a possible cause, 665; diseases in eastern China, 787; life history of Radopholus similis, 395; scab, 467; Tylenchulus semi-penetrans, 4
--- fruits: blue-green mold, 202
--- limonia: Tylenchulus semi-penetrans, 1st rept. from Egypt. 989
Citrus (rough lemon) rootstock, bud union abnormality with sweet orange scions, 810
Citrus (Troyer citrange): Alternaria spp., Fusarium spp., Gliocladium roseum, Penicillium spp., 667
Cladosporium sp(p.), 175, 178, 676; on almond 504

--- carpophilum, 134, 280, 504
--- fulvum, 185, 274
Claviceps paspali, 320
--- purpurea, 319
Clitocybe tabescens, 519
Clover, see Trifolium
Coccomyces hiemalis, 762
Coffee: Omphalia leaf spot, 582
Cold pox, of cucumber, 478
Coleosporium laciniariae, 695
Colladonus geminatus, 298
Colletotrichum spp., 282, on tobacco, 597
--- atramentarium, 45
--- destructivum, 178, 239, 318, 341
--- fuscum, 284
--- graminicola, 18, 320, 321, 330, 339, 755
--- hibisci, 650, 776
--- root rot, of tomato, 45
--- trifoli, 183
--- truncatum, 175, 178
Colopterus niger, 868
--- semitectus, 868
Color reaction, with sulfite, shown by virus infected plant tissues, 618
Color reaction tests, to identify virus diseases of grapevines, 150
Colorado, 325, 644, 892
Conifers: diseases in eastern China, 787
Connecticut, 5, 79, 228, 437
Control, of bacterial blight of celery, streptomycin-Terramycin formulation, 484; bacterial blight of Pinto bean with streptomycin not effective, 213; bacterial scab of gladiolus with insecticides, 106; bacterial spot of pepper and tomato by streptomycin sprays, 386; bacterial spot of tomato with streptomycin in Fla. partial success, 215; bacterial spot of tomato with streptomycin-Terramycin sprays, 611; bacterial wilt of corn by streptomycin sprays, 386; blossom blight of apple with antibiotic sprays, 923; blue-green mold decay of Citrus fruits by ammonia gas, 202; bunt of wheat with fungicides, 647, with HSB, 842; cedar apple rust on Crataegus spp., 985; clubroot of crucifers, with PCNB, 914; Colletotrichum root rot of tomato, 45; Ditylenchus dipsaci in daffodils, 708; dwarf bunt of wheat with chemical seed treatments, 378; fire blight of apple with streptomycin, 128; fire blight of apple and pear by streptomycin sprays, 386; fire blight of pear with antibiotics, 208; halo blight of bean by streptomycin sprays, 386; loose smut of oats with fungicides, 647; mat formation by the oak wilt fungus by early felling of diseased trees, 258; mushroom diseases with chlorinated water, 829; nematodes in strawberry by fumigating soil with D-D, 906; Omphalia leaf spot of coffee with Puratized Agricultural spray, 582; Paratylenchus hamatus on celery in New Hampshire, 307; potato golden nematode, tests for, 13; powdery mildew of apple, with different fungicides, 132; red cedar-apple and hawthorn rusts with Acti-dione, 569; Rhizoctonia root rot of bean by chemical soil treatments, 103; scab of peach with sulfur sprays, 134; scurf of sweetpotato with combinations of chloranil and ferbam or Teresan, 739; stem rot of sweetpotato in Ala., 918; stem rust of wheat with antibiotics, 125; wildfire of tobacco with streptomycin, 14, 15, 386; Xanthomonas vesicatoria of pepper with streptomycin, 480
Control experiments, for ghost spot, gray leaf spot, and gray mold of tomato, 95
Convolvulus sp.: Meloidogyne incognita var. acrita, 3
--- tricolor: tomato aspermy virus, 153
Co-op. Hexa S. D., 166
Co-op. Mercury seed dressing, 166
Copper 30, 89
Copper A, 616
Copper carbonate, 648, 688, 845
Copper chloride, 562
Copper-lime dust, 926
Copper sebacate, 562
Copper sulfate, 562
Corn: bacterial wilt, 384; Belonolaimus gracilis, 5; brome mosaic virus, 802; brown spot, reaction of inbred lines to, 973; bud rot, 283; crazy top, 382, 841; Diplodia stalk rot, 382; diseases in eastern China, 787; Helicotylenchus sp., 3; leaf blight, 381, Northern, 164; leaf spot, 281; nematodes in the Coastal Plain of North Carolina, 818; Pratylenchus zeae, 3; Pythium stalk rot, 695; rots and seedling blight, 281; rust, 381; stalk rot, 380; Stewart's leaf blight, 164; stunt, Rio Grande type and Mesa Central type, in Mexico, 896; Trichodorus sp., 4; Tylenchorhynchus sp., 4; Tylenchorhynchus claytoni, 4
--- sweet: cucumber mosaic virus, color test to detect, 558
Cornell temperature tanks, description of, 875
Cornus florida: anthracnose, Phyllosticta sp., Septoria corni-maris, 333; spot anthracnose, 467
Corrections, 69, 186, 439, 793, 882, 990
Corylus sp.: arsenical leaf injury, 930; bacterial blight, 68, 929; brown stain (nonpar.), 68, 930; crown gall, 929; mushroom root rot, 929; powdery mildew, 68, 929

Corynebacterium insidiosum, 239
--- sepedonicum, 274
Costa Rica, 582
Cotton: Belonolaimus gracilis, 5; boll rots, pink bollworm as a factor, 583; crinkle leaf, distribution, 773; diseases in eastern China, 787; Fusarium wilt, 281; Helicotylenchus sp., 3; Meloidogyne incognita, 3; M. incognita var. acrita, 3; nematodes and root diseases in Peru, 12; Pratylenchus sp., P. brachyurus 3; root rot, 12; Rotylenchus reniformis, 4; seedling diseases, 281; Trichodorus sp., 4; Tylenchorhynchus sp., 4; Verticillium wilt, 12, 281, measurement of disease reaction to 690, not affected by root-knot nematodes 226
Cowpea, see Vigna
Crabgrass, see Digitaria
Crag 531, 758
Crag 5400, 104
Crataegus spp.: cedar apple rust, control 985
Crazy top, of corn, 382, 841; Digitaria sanguinalis, 839; Eleusine indica, 839; Eragrostis cilianensis, E. pectinacea, 839; Setaria viridis, 839
Criconematinae, 571
Criconemoides sp., 3, 221, 680
--- annulatum, 3
Crinkle leaf, of cotton, 773
Cronartium coleosporioides, see Peridermium harknessii
Cross inoculations, with dwarf bunt on wheat and grasses, 161
Crotalaria: viruses in Florida, 345, 349, 354
--- intermedia: Glomerella cingulata, 576
--- spectabilis: Glomerella cingulata, 576; mosaic (virus), 349
Crown gall, of Corylus sp., 929; Lippia canescens, 425
Crown rot, of Juglans regia, 68, 929
Crown rust races, of oats, methods used for establishing pure lines of mixed oat vars. for, 23
Crown wart, of alfalfa in Ky., 697; Lotus corniculatus, 750; Lotus uliginosus, 749
Crucifers: clubroot, control with PCNB, 914
Cuba, 659
Cucumber: angular leaf spot, controlled by Tri-basic copper sulfate, 220, effect of streptomycin on, 731; Botrytis fruit rot, 274; cold pox, 478; downy mildew, zineb for control, 220; latent virus disease of cherry, 148; Meloidogyne incognita var. acrita, 3; necrotic ring spot virus, 727; tomato aspermy virus, 153
Cucumis melo var. inodorus: fungicide injury, 659
--- melo vars.: Verticillium wilt, 881
Cucurbitaceous plants: diseases in eastern China, 787
Cucurbits: downy mildew, streptomycin for control of, 729
Culm rot, of oats, 947
Culture tube tagging method described, 437
Curvularia sp(p.), 175, 178, 374; on Starr millet, 760
--- lunata, 329
--- trifolii, 181, 339
Cuscuta spp.: transmission of lilac witches'-broom virus from lilac to Vinca by dodder, 719
Cyamopsis tetragonoloba: potato virus S, 622
Cylindrocarpon, on Lilium longiflorum, 710
Cylindrocladium scoparium, on sugar beet, 654
--- scoparium, on Callistemon rigidus, Euphorbia pulcherrima, Hydrandea sp., Ilex rotundifolia, Magnolia soulangeana, Pyracantha sp., Rhododendron indicum, Rhododendron obtusum japonicum, 860
Cymadothea trifolii, 239, 316
Cynodon dactylon: Glomerella cingulata, 576
Cytospora, in prune orchards in Idaho, 931
--- sophorae, 597
Czechoslovakia, 518

2, 4-D, galls produced by, on vegetables, 391
D-D, 607, 714
D-D, fumigation of soil for control of nematodes in strawberry, 906
DDT, 922
Dactylis glomerata: dwarf bunt, 686; Puccinia dactylidis, 1st rept. in U. S. (New York), 881
Dactylium dendroides, 830
Dalbulus elimatus, 898
--- maidis, corn stunt transmitted by, 896
Damping off, of bell pepper, 678; soybean, 281
Datura innoxia: tomato aspermy virus, 153
--- stramonium: curly top virus, 799; tomato aspermy virus, 153
Delaware, 262, 480, 771
Delphinium ajacis: tomato aspermy virus, 153
Delsan A-D, 909
Dematophora necatrix 509
--- root rot, of Persea americana, 509
Deschampsia danthonioides: Ophiobolus graminis, 989
Desmodium sp.: Radopholus similis, 309
--- tortuosum: mosaic (virus), 349
Deutzia scabra: Armillaria mellea, 658
Diaporthe eres, 822
--- perniciosa, 771
--- phaseolorum, 990

--- --- var. caulivora, 169
--- --- var. sojae, 170, 579
Dichlone, 95, 919
Dichloropropene-dichloropropane, 223
Dicotyledonous plants, reaction to wheat streak mosaic virus, 633
Dieldrin, 922
Digitalis lanata: anthracnose, 284; mosaic (tobacco mosaic virus), 284
--- purpurea: anthracnose, 284
Digitaria: Pratylenchus brachyurus, 3
--- sanguinalis: crazy top, 839
Dilophospora alopecuri, 17
Diospyros: diseases in eastern China, 789
--- virginiana: Radopholus similis, 309
Diplodia, 270, 281
--- zeae, 380, 382
Disease survey, of alfalfa in Va., 520
Diseases, of cereals in W. Va., 332; corn in Iowa nurseries, 381; Digitalis in Wisconsin, 284; forage crops in N. Y., 316, in West Virginia, 318; forage legumes in Iowa, 239; in Georgia, 329; of lettuce in the Everglades and their control, 421; nuts in Oregon, 929; ornamentals in W. Va., 333; small grains in South Carolina, 947; soybean in the Delta area of Mississippi, 578
Distribution, of barley stripe mosaic in Kansas, 670; Belonolaimus gracilis in the southeast, 5; crinkle leaf of cotton in Alabama and adjoining States, 773; nematode species on corn in the Coastal Plain of North Carolina, 818; X-disease virus of chokecherry in Minn., 545
Dithane D-14, plus zinc sulfate and lime, 739
Dithane Z-78, 64, 89, 104, 220, 739
Ditylenchus sp., 3, 221, 343; on phlox, 3
--- destructor, 512
--- dipsaci, 520, 606; on alfalfa and daffodils, 705
Dolichodorus, 908
Dorylaimellus sp., 221
--- virginianus, 221
Dorylaimus sp(p.), 3, 401
Dow 9B, 580
Dow, HCB, 845
Dowfume MC-2, 46, 678
Dowfume W-40, 607
Dowfume W-85, 607
Dowicide A, 104
Downy mildew, of alfalfa, 239, 316, 520; barley, 695; cabbage 89; cucumber, 220; cucurbits, 729; lettuce, 421; lima bean, 473; oats, 18, 695; radish, (two types of discoloration), 416; soybean, 170, 578; tobacco, (see under blue mold); turnip, 275; wheat, 695
Downy spot, of Juglans regia, 68, 929
Drosophila, 51
Drosophilidae, 52
Dryland root rot, of wheat, 373
Dupont 244, 166, 688
Dupont 364, 166, 688
Dutch elm disease, of Ulmus spp., 245; Ulmus americana, 882
Dwarf, of strawberry, 3
--- bunt, of Aveneae, Festuceae and Hordeae, 686; cross inoculation with, on wheat and grasses, 161; how long have we had it? 325; in New York in early 1920's, 163; of wheat, 159, 378
D-Z mixture, 96
D-Z-N-M-C, 96

Early blight, of potato, 274, 407; tomato, 185
Ecological studies, on pathogens of white clover, 339
Ecuador, 477
EDB, 714
Eggplant: diseases in eastern China, 787; tomato aspermy virus, 153; Verticillium wilt, 589
Egypt, 902, 989
Eleusine indica: crazy top (Sclerophthora macrospora), 1st rept. on this host (Indiana), 839
Elsinoë corni, 333, 467
--- fawcetti, 467
--- mattirolianum, 516
--- parthenocissi, 516
Emilia sagittata: tomato aspermy virus, 153
Emmi, 64, 107, 986
Endive: Belonolaimus gracilis, 5
Endoconidiophora fagacearum (see also under Quercus: oak wilt), 51, 249, 256, 258, 783, 867, 972, 872, 977; influence of Acti-dione and other chemicals upon, 491; insect transmission: spores on nitidulid bodies 54, spore-infested insects caged on wounded healthy trees 58, radioactive iodine for tagging experimental insects 61, viable spores from bark and wood-boring beetles, 867; longevity in lumber, 429
Endomycin, 125, 136
England, 750
Epidemiology, of wheat rusts, airborne spores in relation to, 463
Epidemiology studies, of crown rust of oats in Texas, 853
Eragrostis cilianensis: crazy top (Sclerophthora macrospora), 1st rept. on this host (Indiana), 839
--- curvula: Glomerella cingulata, 576
--- pectinacea: crazy top (Sclerophthora macrospora), 1st rept. on this host (Indiana), 839
Eriophyes, vector of peach-mosaic virus, 889
Erwinia spp., on lettuce, 421; Zantedeschia spp., 779

(Erwinia) amylovora, 128, 206, 280, 386, 922
--- atroseptica, 120
--- carotovora, 587
--- phytophthora, 274
Erysiphe graminis, 281, 318, 948
--- --- avenae, 281
--- --- hordei, 967
--- --- secalis, 18
--- --- tritici, 18
--- polygoni, 239
Ethyl 856-I, 688
Ethyl B-622, 89
Ethylene dibromide, 223
Ethylene diisothiocyanate, 562
Ethylenethiuram monosulphide, 562
ETM, 562
Eucephalobus, 185
Euphorbia pulcherrima: Cylindrocladium scoparium, 1st rept. on host (Ala.), 860
Europe, 686, 727, 781

Fagaceae: oak wilt, additional native and exotic species susceptible to, 495
Fasciated roots, of Ilex glabra, 242
Ferbam, 739, 763, 766
Fermate, 64, 739
Fermate-sulphur, 986
Festuca rubra: dwarf bunt, 686
--- subulata: Ophiobolus graminis, 989
Ficus carica: canker and die-back, 822; Meloidogyne incognita var. acrita, 3
Fieberiella florii, 298
Fig, see Ficus
Filbert, see Corylus
Filipin, a new antifungal agent, 219
Fire blight, of apple, 206, 280, control with antibiotics, 128, 922; of pear, 280, control with antibiotics, 208, 926
Flax: diseases in eastern China, 787
Florida, 5, 48, 91, 103, 174, 181, 184, 215, 228, 233, 242, 309, 345, 349, 354, 421, 467, 470, 478, 516, 585, 611, 616, 644, 650, 729, 810, 952
Flower spot, of azalea, 467
Fomes annosus, 437
Forage crop diseases and grassland farming, 342
Forecast, of bacterial wilt of corn in Ill., 384; leaf rust of wheat in Oklahoma, 438
Formaldehyde, 714, 780
Fragaria vesca: mottle mosaic virus from red raspberry transferred by graftage to, symptoms described, 893; Rubus virus, transmission to, 1st rept., 542; virus studies, 31
France, 658
Frenching, of tobacco, 282
Frog eye, of tobacco, 282
Fruit trees (general): diseases in eastern China, 788
Fungichromin, 684
Fungicide tests, results of 1954, 793
Fungicides: for control of apple powdery mildew, comparison of, 132; for control of downy mildew of cabbage, 89, ghost spot, gray leaf spot, and gray mold of tomato, 94; effect on flavor of canned peaches, 944; evaluation of various fungicides and application schedules in the control of diseases of cherry nursery stock 762; past, present and future, 561
--- and herbicides, self-propelled small-plot sprayer for, 433
Fusarium spp., 239, 281, 329, 339, 342, 374, 667, 676, 833; on alfalfa, 239; bean in Wyo., 101; Lilium longiflorum, 710; Pothos aureus, 241; soybean, 682; Starr millet, 760
--- bulb rot, of shallot, 746
--- crown bud rot, of alfalfa, 316
--- lateritium, 657
--- negundinis, 66
--- oxysporum, 175, 178, 565
--- --- f. batatas, 280, 918
--- --- f. conglutinans, 414
--- --- f. lycopersici, 280
--- --- f. melonis, 334
--- --- f. nicotianae, 282
--- --- f. niveum, 334
--- --- f. perniciosum, 874
--- --- f. vasinfectum, 281
--- roseum, 178
--- rot, of pineapple, 659
--- salicis, 597
--- sophorae, 597
--- wilt, of watermelon, 334
Fusicladium pyracanthae, 658
Fusicoccum amygdali, 771

Gaillardia pulchella var. picta: tomato aspermy virus, 153
Galinsoga parviflora: tomato aspermy virus, 153
Gallotox, 166
Gardenia: Meloidogyne incognita, 3
"G. D", 562
Georgia, 5, 17, 228, 231, 329, 368, 455, 644, 695, 756, 874, 952, 960
Geotrichum sp., 830
Germany, 25, 516, 686
Ghost spot, of tomato, 91
Gibberella, 281
--- fujikuroi, 283, 380
--- zeae, 380
Gladiolus: bacterial scab, insecticides for control, 106; Belonolaimus gracilis, 7; tobacco ringspot (virus), aphid transmission in, 35
Gliocladium roseum, 667
Gliotoxin, 125
Glischrochilus quadrisignatus, 249
--- sanguinolentus, 868
Gloeocercospora sorghi, 330
Gloeosporium sp., on Paeonia officinalis, 333

Glomerella cingulata, on Gramineae and Leguminosae, 576
Glume blotch, of wheat, 281
Glycine max: Glomerella cingulata, 576
Gnomonia veneta, 64
Goose grass, see Eleusine indica
Gramineae: Glomerella cingulata, 576; Belonolaimus gracilis, 5; cross inoculations with dwarf bunt on wheat and grasses, 161; diseases in West Virginia, 318; leaf scald, 316; O-2, 4-dichlorophenyl O, O-diethyl phosphorothioate, for control of nematodes, 400; Sclerospora sp. (artificially infected) in Peru, 424; Xanthomonas translucens var. undulosa, 751
Grape: diseases in eastern China, 788
Grapevines: color reaction tests to identify virus diseases, 150
Grassland crops: breeding for disease resistance, 344; soil-borne pathogens of, 342; virus diseases, 343
Grassland farming, a challenge to everyone, 342
--- ---, and nematodes, 343
Gray leaf spot, of sorghum, 330; tomato, 94, 185
Gray mold, of tomato, 91
Green mold, of citrus, 202
Green petal of strawberry, in Nova Scotia, 808
Guanajuato, 47
Guar, see Cyamopsis
Gymnosporangium spp. :, 280, 882
--- clavipes, 882
--- globosum, 569, 985
--- juniperi-virginianae, 569, 882, 985

Halo blight, of bean, 567
Hawaii, 990
HCB-Captan-Lindane, 845
Helianthus: diseases in eastern China, 790
Helichrysum bracteatum: tomato aspermy virus, 153
Helicotylenchus sp(p.), 3, 221, 679, 908,
--- nannus, 3
Heliothis armigera, 583
Helixin B, 125
Helminthosporium spp., 175, 178, 281; on oats, 592
--- avenae, 18, 332, 947
--- gramineum, 18, 948
--- leaf spot, of Phleum pratense, 316
--- sativum, 18, 166, 281, 374, 695, 947, 948
--- siccans, 320
--- spiciferum, 329; on forage grasses, 759
--- stenospilum, on forage grasses, 759; Starr millet, 760
--- teres, 18, 332
--- tritici-repentis, 17, 18, 318, 332, 948
--- turcicum, 164, 330, 381
--- victoriae, 18, 332, 947
Heptachlor, 106
Heptachlor emulsion, 107
Heterodera glycines, 9
--- göttingiana, 9
--- rostochiensis, 13, 407, 512; X-ray irradiation interrupts life cycle of, 572; and H. tabacum, morphological differences between cysts of, 716
--- schachtii, 224
--- --- trifolii, 9
--- tabacum, 716
--- trifolii, 343
Heterosporium phlei, 317
Hibiscus spp. : diseases in eastern China, 788
--- cannabinus: Colletotrichum hibisci, influence of temperature on susceptibility of, 650; reaction to races of Colletotrichum hibisci, 776
Histeridae, 52
History, of plant pathology, committee on 793
Holland, 658
Hopolaimus sp(p.), 221, 401, 908
--- coronatus, 3
Hordeum sp. : Tilletia panicii, 1st rept. from Turkey, 518
--- distichon: Tilletia panicii, 518
--- hexastichon: Tilletia panicii, 518
--- vulgare: Tilletia panicii, 518
Horseradish: brittle root, 801
Host plants: diseases in eastern China, 785
Host range, of the necrotic ring spot virus in the genus Prunus, 194; tobacco ringspot virus, 803
--- --- studies, for susceptibility to wheat streak mosaic virus, 633
Hosts: cowpea mosaic virus (Marmor vignae), 349; cucumber mosaic virus, 346; Cylindrosporium scoparium, 654; downy and powdery mildews and rusts in Israel, 277; Glomerella cingulata, in Gramineae and Leguminosae, 576; Radopholus similis in Fla., 309
---, grass: revised host list for dwarf bunt, 685
--- and vectors, of tomato aspermy virus, 152
Hungary, 237
Hydrangea sp. : Cylindrocladium scoparium, 1st rept. on this host (Ala.), 860
Hylastinus obscurus, 183

I & D Seed Protectant, 106
Idaho, 161, 325, 391, 511,623, 644, 686, 844, 850, 931
Ilex cornuta: anthracnose, spot, new disease (La.), 243
--- glabra: fasciated roots, 242

(Ilex) rotundifolia: Cylindrocladium scoparium, 1st rept. on this host (Ala.), 860
Illinois, 107, 245, 384, 591, 644, 801, 952, 954
Impatiens balsamina: tomato aspermy virus, 153
India, 518
Indiana, 755, 839
Indigofera hirsuta: Glomerella cingulata, 576
Indo-China, 518
Insect injury, to beets, 659
Insecticides, for control of bacterial scab of gladiolus, 106
Insects: beetles, bark and wood boring, carriers of viable spores of Endoconidiophora fagacearum, 867
Internal brown spot, of potato, assoc. with hot dry weather, 37
Iowa, 23, 25, 169, 239, 254, 381, 453, 644, 658, 659, 949, 952, 954
Ipomoea purpurea: tomato aspermy virus, 153
Israel, 277
Italy, 516

Japan, 11, 518
Johnson grass, see Sorghum
Juglans regia: bacterial blight, 929, control by streptomycin formulations, 926; black-line (girdle, non-par.), 68, 929; blight, 68; crown rot (undet.), 68, 929; downy spot, 68, 929; leaf scorch (non-par.), 68, 929; mushroom root rot, 68, 929; Phyllosticta leaf spot, 929
Juniperus spp.: rust (Gymnosporangium spp.), 882
Juniperus spp.: twig blight, 333
--- horizontalis: Armillaria mellea, 1st rept. from Calif. 658
--- virginiana: apple and hawthorn rusts, 569; cedar rust, 985
Jute: diseases in eastern China, 788

Kabatiella caulivora, 183, 239, 317
Kansas, 29, 291, 296, 463, 643, 644, 658, 670, 802, 952
Karathane, 133, 766, 821
Kenaf, see Hibiscus
Kentucky, 7, 231, 644, 697
Keonolla confluens, 298

Lamium amplexicaule: Meloidogyne incognita var. acrita, 3
Lasius alienus americanus, 171
Late blight, of potato and tomato, see Phytophthora infestans
Lathyrus hirsutus: Glomerella cingulata, 576
--- tingitanus: Glomerella cingulata, 576
Laurestinus: Armillaria mellea, 658
LE-45, 909
LE-46, 909
Lead arsenate, 922
Leaf blight, of cantaloupe, 220; corn, 381; sorghum, 330; Trifolium pratense, 181; T. repens var. Ladino, 181
Leaf blister, of Quercus, 467
Leaf mold, of tomato, 185, 274
Leaf rust, of Phleum pratense, 316; rye, 18; wheat, 948
Leaf scald, of Gramineae, 316
Leaf scorch, of Juglans regia, 68, 929; rye, 948
Leaf spot, of alfalfa, 239; cherry nursery stocks, 762; corn, 281; Lotus uliginosus, 236; oats, 18, 947; parsnip, 747; rye, 18; soybean, 578; wheat, 17
Leaf variegation, of strawberry, 363
Leak, of potato, 274
Legumes: diseases in West Virginia, 318; downy and powdery mildews and rusts in Israel, 277; Heterodera göttingiana, 9; H. schachtii trifolii, 9
---, forage: diseases in Iowa, 239
Leguminosae: Glomerella cingulata, 576
Leptodiscus terrestris, 342
Leptographium spp., on Pinus monticola, 500
Leptosphaeria avenaria, (see also Septoria avenae) 947, 963
--- pratensis, 239
Lespedeza: Belonolaimus gracilis, 5; Pratylenchus brachyurus, 3
Lettuce: bacterial soft rot, 421; Belonolaimus gracilis, 5; Botrytis damping off, 274; brown stele (cause undet.), 827; calico (strain of tobacco ring spot virus), 803; diseases in eastern China, 788; downy mildew, 421; rib breakdown (cause unknown), 421; rib discoloration (non-parasitic), 418; tipburn (non-par.), 274, 418; tomato aspermy virus, 153
Leytosan AL, 166
Lilium longiflorum: Cylindrocarpon, Fusarium, Rhizoctonia, 710; root-lesion nematodes, measures for elimination of, 710; tomato aspermy virus, 153
Lime-sulfur, 821
Lindane, 106
Lindane emulsion, 107
Lippia canescens: black mildew, 1st rept. in Ariz., 425; crown gall, 1st rept. on this host (Ariz.), 425; Meloidogyne sp., 425; southern blight, 1st. rept. from Ariz. 425
Liquid 244, 648
Liquid 365, 648
Liquid mercury 244, 845
Liquid mercury 364, 845
Liquidambar styraciflua: Armillaria mellea,

(Liquidamber styraciflua) 1st rept. from Calif., 658; blight, possible causes, 270; blight in Louisiana, 864, progress in Maryland plots, 266; blight survey, southwide, 261
List of noteworthy diseases of cultivated plants in Continental eastern China, 785
Lithocarpus sp.: oak wilt, 495
Longidorus sp., 221
Loose smut, of barley, 18
Loquat: diseases in eastern China, 788
Loss estimates: plant diseases in Tennessee, 280
Losses: from Colletotrichum root rot of greenhouse tomatoes, 45; diseases of forage crops, 317; streak-mosaic virus of wheat, 31; tobacco blue mold, 230; Verticillium wilt of eggplant and okra, 590
Lotus corniculatus: Cercospora loti (inoc. exp.), 236; crown wart, 750; Rhizoctonia foliage blight, 239; Sclerotinia crown and stem rot, 316; Stemphylium leaf spot, 1st rept. from Iowa, 659
--- siliquosus: Cercospora loti, 237
--- tenuis: Cercospora loti (inoc. exp.), 236
--- uliginosus: crown wart, 1st rept. on this host in U.S. (Oreg.), 749; leaf spot (Cercospora loti), 1st rept. of fungus in U.S. (Md. and Ga.), 236
Love grass, see Eragrostis pectinacea
Louisiana, 3, 5, 7, 221, 243, 363, 519, 525, 619, 644, 673, 678, 746, 773, 864, 952
Lupinus: Belonolaimus gracilis, 5
Luzula parviflora: Ophiobolus graminis, 989

Macrophoma phlei, 319
Macrophomina phaseoli (see also Sclerotium bataticola), 170, 330, 578
Macrosiphoniella sanborni, 152
Macrosiphum granarum, 547
--- solanifolii, 154
Macrosteles fascifrons, 300
Magnesium, in mushroom casing soil, 837
Magnolia soulangeana: Cylindrocladium scoparium, 1st rept. on this host (Ala.), 860
Maine, 86, 120, 300, 952
Malanga and Taro: diseases in eastern China, 788
Malt extract, 492
Maneb, 95
Manitoba, 23
Manuscripts, preparation for PLANT DISEASE REPORTER, 75, 188, 287, 336, 441, 522, 599, 661, 700, 795, 884, 992
Manzate (maneb), 89
Market diseases, on the New York City market, 659
Marmor cucumeris, 346
--- --- judicis, 346
--- graminis, 802
--- melonis, 356
--- terrestre, 947, 948
--- terrestre var. oculatum, 628
--- --- var. typicum, 628
--- tritici, 695
--- vignae, 349
Maryland, 35, 98, 132, 181, 183, 228, 233, 262, 266, 363, 558, 874, 906, 908
Massachusetts, 228, 366, 771, 879, 908
Mathieson 275 (PCNB) 580
Medicago arabica: Glomerella cingulata, 576
--- hispida: Glomerella cingulata, 576
--- orbicularis: Glomerella cingulata, 576
Melilotus: anthracnose, 239; black stem, 239; Leptosphaeria leaf spot, 239; stem canker, 239; Tylenchorhynchus sp., 4
--- officinalis: Glomerella cingulata, 576
Meliola lippiae, 425
Meloidogyne sp(p.), 221, 226, 310, 343, 680, 818, 908, on Lippia canescens, 425
--- arenaria, 343
--- hapla, 3, 343, 906, on strawberry, 879
--- incognita, 3, 310, 343, 573, 902, 908,
--- --- var. acrita, 3, 12, 223, 226, 343, 397, 607
--- javanica, 310, 343
MEMA, 647, 648, 688, 845
MEMA plus Aldrin, 845
Mercal, 166
Merculine, 117, 648, 688
Merculine 100, 845
Mercuric chloride, 107, 779
Mergamma, 648, 688, 845
Mer-kote, 845
Mer-lin 1-37, 845
Mer-sol, 166, 845
Mexico, 47, 466, 516, 643, 896
Michigan, 325, 569, 644, 655, 952
Microstroma juglandis, 68, 929
--- tonellianum, on sweet cherry in Mass., 697
Millet, see Setaria
Mimosa, see Albizzia
Minnesota, 322, 453, 545, 643, 644, 779, 802, 807, 952, 954
Mississippi, 7, 18, 66, 89, 578, 580, 644, 657, 773, 952, 989
Missouri, 240, 495, 644, 658, 872, 899, 922, 952
Monilinia fructicola, 210, 280, 562
Monilochaetes infuscans, 617, 739
Monocotyledonous plants, reaction to wheat streak mosaic virus, 633
Monsanto 4367, 64
Monsanto 4367 plus Tergitol 7, 986
Montana, 325, 460, 644, 844, 952
Mortierella, 270
Morus spp.: diseases in eastern China, 788
--- rubra: canker and twig blight, 657
Mucor, 676, candicidin no protective effect

(Mucor) against, 211
Mulberry, see Morus
Mummy disease, of mushroom, 833
Mushroom: disease control with chlorinated water, 829; mummy disease (unknown organism), 833; use of magnesium in casing soil, 837
--- root rot, of Corylus sp., 929; Juglans regia, 68, 929
Muskmelon, see cantaloupe
Mustard: Meloidogyne incognita var. acrita, 3
Myceliophthora, 833
Mycogone perniciosa, 830
Mycosphaerella sp., on Leersia oryzoides, 320
--- black rot, of watermelon, 659
Myzus persicae, 33, 35, 152, 154
--- solani, 152

N-244(3-p-chlorophenyl-5-methyl rhodanine), 812
Nabam, 562, 919
Nabam-$ZnSO_4$, 95
Nailhead spot, of tomato, 185
Narcissus pseudo-narcissus: Ditylenchus dipsaci, systemic phosphates for control of, 705
Nebraska, 438, 644, 658, 751, 952, 954
Nemagon, 607
Nematode cultures, tests with chemicals to prevent growth of fermenting organisms, 405
Nematode diseases, of strawberries in the Netherlands, 603
Nematodes (see also under genera): culture maintenance, 405; of corn in the Coastal Plain of North Carolina, 818; and grassland farming, 343; in Louisiana, 3; soil fumigation for control, 511; on soybean in Brazil, 310; tobacco, 282; tomato, 280
Nematology workshop, Long Island, New York, 439
Neomycin, 118, 684
Neovossia indica, 518
Netherlands, 603
Neutro-cop 53 plus Polybar, 821
New disease: Cephaleuros virescens on Ilex cornuta, 243
New distribution: Armillaria mellea in Calif., on Chamaecyparis obtusa, Juniperis horizontalis, Liquidambar styraciflua, 658; black mildew of Lippia canescens in Ariz., 425; Botrytis die-back of asparagus in N. H., 1st rept. in U.S., 305; Botrytis sp., on soybean in Ontario, 171; Cercospora loti in U.S. (Md. and Ga.), 236; charcoal rot of Ricinus communis in Tex., Fla., S.C., Va., Md., 1st rept. in U.S., 233; crown wart of alfalfa in Ky., 697; crown wart of Lotus uliginosus in U.S. (Oreg.), 749; dwarf bunt of Agropyron cristatum (Oregon, Idaho), 686; European rhododendron rust, 1st rept. in U.S. (Washington), 781; Fusarium wilt of cantaloupe in N.C., 334; Fusicladium pyracanthae on Pyracantha in Mo., 658; Heterodera glycines on soybean in U.S. (N.C.), 9; Heterodera rostochiensis on potato in Bolivia, 407; leaf blight of Trifolium pratense in Maryland and Florida, 1st rept. in U.S. on this host, 181; leaf spot, of barley in Va., 695; Leptosphaeria pratensis on alfalfa in Iowa, 239; needle rust of Pinus taeda in Va., 695; Neovossia indica on wheat in Afghanistan, 518; Puccinia aeluropi, on Aeluropus sp., in Turkey, 518; on Aeluropus littoralis in Afghanistan, 518; Puccinia dactylidis on Dactylis glomerata in N.Y., 1st rept. in U.S., 881; Radopholus oryzae on rice in Texas and La., 69; ringspot (virus) on chrysanthemum in Ala., 33; Sclerospora macrospora on barley, oats, wheat in Va., 695; southern blight of Lippia canescens in Ariz., 425; Stemphylium leaf spot of Lotus corniculatus in Iowa, 659; Stysanus stemonitis on potato in Va., 695; Tilletia panicii on Hordeum sp. in Turkey, 518; twist of wheat in Ga., 17; Tylenchulus semi-penetrans on Citrus limonia in Egypt, 989; Tylostoma berteroanum on tomato in North America (Tex.), 656; Valsaria megalospora on Alnus rubra in Oregon, 334; Verticillium albo-atrum on Acer palmatum, Catalpa speciosa, Rheum rhaponticum, in Calif., 693; yellow leaf blister of Populus nigra var. italica in Va., 695
New fungus, Tylostoma berteroanum, on tomato (Tex.), 1st rept. in North America, 656
New Hampshire, 307
New hosts: Botrytis rot of Caladium bicolor in California, 283; canker disease (Fusarium lateritium) on Sophora japonica in Va., 597; Clitocybe tabescens on Camellia japonica in La., 519; crazy top of Eleusine indica, Eragrostis pectinacea, E. cilianensis, in Indiana, 839; crown gall of Lippia canescens in Ariz., 425; Cylindrocladium scoparium on Callistemon rigidus, Euphorbia pulcherrima, Hydrangea sp., Ilex rotundifolia, Magnolia soulangeana, Pyracantha sp., Rhododendron indica, and R. obtusum japonicum, in Ala., 860; dwarf bunt on Agropyron desertorum in Oregon and Idaho, 686; dwarf bunt on

(New Hosts) Agropyron sibiricum in Idaho, 686; Heterodera glycines on soybean in N.C., 1st rept. of this nematode in this country, 9; Microstroma tonellianum on sweet cherry in Mass., 697; Phytophthora damping-off, of soybean in North Carolina, 682; Radopholus oryzae, on rice in Texas and La., 69; ring spot (virus) on chrysanthemum (Ala.), 33; Sphaerotheca mors-uvae on Tolmiea menziesii in Oregon, 334; Verticillium albo-atrum in Calif., 693
New Jersey, 37, 617, 695, 739, 771, 822, 908
New Mexico, 373, 589, 644, 892
New nematocide (1, 2-dibromo-3-chloropropane), 223
New York, 13, 37, 163, 194, 206, 358, 380, 386, 439, 553, 572, 644, 716, 750, 762, 875, 881, 909, 952, 989
Nezara viridula, 177
Nicotiana spp. cucumber-mosaic virus (inoc. expts.), 557
--- glutinosa: tomato aspermy virus, 153
--- repanda: blue mold, 231
--- rustica: tomato aspermy virus, 153
--- sylvestris: tomato aspermy virus, 153
Nitidulidae, 51, 868
No Bunt, 166, 845
North Carolina, 5, 9, 128, 184, 228, 262, 334, 343, 363, 644, 682, 703, 874, 887, 904, 908, 952, 973
North Dakota, 322, 550, 644, 952
Northern leaf blight, of corn, 164
Nothotylenchus affinis, 3
Nova Scotia, 810
NuGreen, 821
Nut Diseases, in Oregon, 68

O-2, 4-dichlorophenyl O, O-diethyl phosphorothioate, for controlling parasitic nematodes of grasses, 400
Oak wilt, see under Quercus
Oats: Alternaria, 591; anthracnose, 18; Aspergillus, 591; Belonolaimus gracilis, 5; brome mosaic virus, 802; cereal yellow dwarf virus, Washington strain, 547
Oats: crown rot, 18
---: crown rust, 17, 281, 947; methods used for establishing pure lines of mixed varieties for crown rust races, 23; physiologic races of crown rust, 949; (race 216), effect of temperature, 853; proposed modifications of the annual crown rust race survey, 956
---: culm rot, 18, 947, downy mildew, 18; downy mildew and anthracnose, 755; Helminthosporium, 592; leaf spot, 18, 332, 947; loose smut, 18, 647; microflora of stored and field collected, 591; mosaic (virus), 18, 947, in S.C., 628; powdery mildew, 281; Sclerospora macrospora, 1st rept. from Va., 695
---: Septoria avenae, significant differences in reaction of varieties and selections to, 963, testing for resistance, 25; Septoria black stem, 947; smut resistance of some southern varieties, 960; smuts, 281, 947; soil-borne virus, 18; stem rust, 18, 947; Victoria blight, 18, 332, 947; Xanthomonas translucens var. undulosa, 751; yellow flecking and striping, 18
Oedocephalum sp., 833
Ohio, 183, 429, 644, 771, 952
Oidiopsis taurica, 278
Oidum sp., 278, 279
Oklahoma, 363, 438, 644
Okra: Meloidogyne incognita, M. incognita var. acrita, Pratylenchus brachyurus, 3; Verticillium wilt, 589
Oligomycin, 684
OMPA, 705
Omphalia flavida, 582
--- leaf spot, of coffee, 582
One, 2-dibromo-3-chloropropane, a new nematocide, 223
Onion: Belonolaimus gracilis, 5; Botrytis bulb rot, 274; diseases in eastern China, 788
Ontario, 45, 171, 191, 312, 457
Ophiobolus graminis, 989
Orchidaceae: spotting and vein discoloration, 659
Oregon, 68, 161, 208, 301, 325, 365, 433, 542, 644, 726, 749, 842, 844, 686, 850, 929, 952
Orobanche ramosa: weeds, interim hosts of, 273
Ortho Seed Guard, 909
Orthocide, 688
Orthocide 50, 580
Orthocide 75, 117, 909
Orthocide 406, 64
Orthoperidae, 52
Orthorix, 821
OS1836, 705
Ovularia pusilla, 318
Ovulinia azaleae, 467
Oxamycin, 684
Oxytetracycline, 118

PA-2N, 648
Paeonia officinalis: Gloeosporium sp., 333
Panagrellus redivivus, 405
Panagrolaimus, 185
Panicum ramosum: seed treatment tests, 756
Panogen, 329, 647, 648, 688, 756, 842
Panogen 15, 166, 378, 845, 850
Panogen 42, 845, 648
Papulaspora, 676

Parathion, 132
Paratylenchus sp., 3, 401, 814
--- hamatus, 307
Parsnip: leaf spot, 747
Parthenocissus quinquefolia, anthracnose, 516
--- --- var. saint-paulii, anthracnose, 516
3-p-chlorophenyl-5-methylrhodanine, use of, as a soil amendment for nematode-infected strawberries, 812
PCNB, 104
Pea: Acromoniella, 676; Alternaria, 676; Ascochyta pisi, effect of varying storage on viability of, and germination of seed and emergence, 674; variation in incidence of, in pea as influenced by treatment and media, 475; Aspergillus, 676; Cephalosporium, 676; Chaetomium, 677; Cladosporium 676; Fusarium, 676; Mucor, 676; Papulaspora, 676; Penicillium, 676; Rhizopus, 676; seed protectants, silicones as lubricants, 909; Stemphylium, 676; Trichoderma, 676; Verticillium, 676
---, Austrian winter: Belonolaimus gracilis, 5
---, Crowder: Meloidogyne incognita, 3
---, winter: Belonolaimus gracilis, 5
Peach: brown rot, 280, candicidin as protectant dip against, 210; canker, some historical aspects, 771; Cytospora in Idaho, 931; fungicides, effect on flavor of canned peaches, 944; Meloidogyne incognita, 573; scab, 280, factors influencing the control of, 134; western X-disease virus active in stored peach budwood, 543, transmission by Colladonus montanus, 298
Peach (with apricot and cherry): diseases in eastern China, 788
Peanut: Belonolaimus gracilis, 5; diseases in eastern China, 789
Pear: diseases in eastern China, 789; fire blight, 280, control with antibiotics, 208, with streptomycin-pyrophyllite dusts 926; Phytophthora rot, 312
---, vegetable: Meloidogyne incognita var. acrita, 3
Pectinophora gossypiella, 583
Pellicularia filamentosa, 274
Penicillin, 684
Penicillium sp(p.), 175, 178, 270, 583, 659, 667, 676; on shallot, 746; sorghum, 329; Starr millet, 760
--- digitatum, 202
--- italicum, 202
Pennisetum glaucum: seed treatment tests, 756
Pennsalt 1282, 89
Pennsylvania, 14, 15, 54, 58, 61, 516, 867, 873, 899
"Penta", 492
Pepper: Belonolaimus gracilis, 5; diseases in eastern China, 789; Xanthomonas vesicatoria, streptomycin for control of, 480, 616
---, bell: damping-off, fumigation of seed beds for control of, 678
Peracetic acid, 779
Peridermium harknessii, 314, 983
Peronospora sp., 279
--- aestivalis, 279
--- manshurica, 170, 578
--- parasitica, 89, 275, 416
--- pisi, 279
--- tabacina, 14, 79, 228, 231, 282, 467, 887
--- trifoliorum, 239, 316, 520
--- trigonellae, 279
--- viciae-sativae, 279
Persea americana: Dematophora root rot, 509; spreading decline, role of burrowing and meadow nematodes, 815
Peru, 12, 424, 477
Pestalotia, 270
Petal blight, of Camellia, 519
Petunia: curly top (virus), 799
--- hybrida: tobacco ring spot virus, 803; tomato aspermy virus, 153
Phaseolus vulgaris: cucumber mosaic virus (inoc. expts.), 557; tobacco ring spot virus, 803
Phenyl mercury, 763
Philippines, 518
Phleum pratense: Helminthosporium leaf spot, leaf rust, stripe smut, 316; Xanthomonas streak, 751
Phlox: Ditylenchus sp., 3
--- drummondii: tomato aspermy virus, 153
Phlyctochytrium, on Peronospora parasitica, 887
Phoma persicae, 771
--- trifolii, 239
Phomopsis sp., on tomato, 989
--- cinerascens, 822
--- juniperovora, 333
--- mali, 771
--- sojae, 175, 178
Phygon, 64, 117, 329, 580, 688, 739, 986
Phygon XL (dichlone), 89
Phyllactinia corylea, 68, 929
Phyllophaga spp., 106
Phyllosticta sp(p.), 178, 578; on Cornus florida, 333; Rhododendron spp., 333
--- juglandis, 929
--- leaf spot, of soybean, 169
--- sojicola, 169
--- sorghina, 321
Physalis angulata: tomato aspermy virus, 153
--- floridana: tomato aspermy virus, 153
Physalospora obtusa, 822
Physoderma maydis, 973
--- potteri, 749

Phytophaga destructor, Hessian fly, 17
Phytophthora sp., 682
--- cactorum, 312, 683
--- cryptogea var. richardiae, 779
--- damping-off, of soybean 682
--- fragariae, 141
--- infestans, 79, 86, 274, 300, 407, 467, 737
--- parasitica, 280
--- --- var. nicotianae, 282
--- phaseoli, 473
--- root rot, of Zantedeschia spp., 779
Pineapple: blue mold rot (Penicillium), 659; Fusarium rot, 659
Pinus spp.: Belonolaimus gracilis, 5
--- monticola: pole blight, 500
--- ponderosa: western gall rust, (Peridermium harknessii) 314, longevity of aeciospores stored at 40°F., 983
--- taeda: needle rust (Coleosporium laciniariae) 1st rept. from Va., 695
Pisum sativum: Glomerella cingulata, 576
Pitting, of potato, bad storage, 587
Plant disease loss estimates, in Tennessee, 280
PLANT DISEASE REPORTER, preparation of manuscripts for, 75, 188, 287, 336, 441, 522, 599, 661, 700, 795, 884, 992
Plant diseases, in Alaska, 274, in Tennessee, 275
Plant pathology, a committee on the history of, 793
Plant Quarantine Problem, book review, 284
Plants, miscellaneous: diseases in eastern China, 791
Plasmodiophora brassicae, 914
Pleocidin, 684
Pleospora sp., on Ricinus communis, 184
--- trichostoma, 318
PMAS, 758
PMU plus Aldrin, 845
PN 1414, 714
Poa sp. (Merion bluegrass): rust, 438
--- pratensis: Ophiobolus graminis, 989
Pod and stem blight, of soybean, 170
Podosphaera leucotricha, 128, 132, 820
--- oxyacanthae, 762
Poinsettia, see Euphorbia
Pole blight, of Pinus monticola, 500
Polybor, 821, compatible with apple powdery mildew sprays, 820
Polymeric ETM, 562
Polymyxa graminis, on Trifolium pratense 859
Polysulfide, 821
Populus nigra var. italica: yellow leaf blister, 1st rept. from Va., 695
Portugal, 516
Potato (see also Solanum): bacterial ring rot, 274, soft rot, 587; Belonolaimus gracilis, 5; blackleg, 120, 274; Botrytis sp., 274; diseases in eastern China, 789; early blight, 274, 407; Heterodera rostochiensis, 1st rept. from Bolivia, 407, X-ray irradiation, 572; internal brown spot, assoc. with hot dry weather, 37, resemblance to other diseases, 40; late blight, 79, 274, 300, 407, 467, in Aroostook County, Maine, 86, in Rhodesia, 737; leak (?Pythium), 274; Meloidogyne hapla, 3; mild mosaic (virus), 274; necrosis (virus), 659; powdery mildew, 825; powdery scab, 407; Rhizoctonia solani, 274; scab, 274, 825; Sclerotinia sclerotiorum, 407; speck rot, 1st rept. in Va., 695; surface pitting, bad storage, 587; Thecaphora solani, smut, 1st rept. from Bolivia, 407; virus diseases in Bolivia, 407; wart, 407; witches broom (virus), 274
Potnos aureus: Fusarium, 241; Rhizoctonia foot rot, 240
Powdery mildew, of apple 128, 132, 820; barley, 18, 948, 967; cherry nursery stock 762; Corylus sp., 68, 929; oats, 281; potato, 825; rye, 18; strawberry, 275; Trifolium pratense, 239, 316; wheat, 17, 948
Powdery scab, of potato, 407
Pratylenchus sp(p.), 3, 221, 310, 343, 401, 703, 812, 818; in bramble roots, 904; on strawberry, 879; sugarcane, 3
--- vulnus, 904
--- brachyurus, 3, 815
--- minyus, 604
--- penetrans, 710, 812, 906
--- pratensis, 604, 710, 815, 906
--- thornei, 604
--- zeae, 3
Pennsylvania, 644
Program of Southern Division - American Phytopathological Society, 69
Prunus sp(p.), Cytospora damage in Idaho prune orchards, 931; necrotic ring spot virus, host range and variable pathogensis 194, survival during periods of extremely cold weather, 807; peach-mosaic virus, Eriophyes vector of, 889
Prunus sp(p.) (prune): on P. cerasifera root stock, chlorotic fleck, 358
--- amygdalus: scab in Calif., 504
--- laurocerasus: Armillaria mellea, 658
--- mahaleb: Meloidogyne incognita, 573
--- serrulata: little cherry type virus, 725
--- virginiana: distribution of the X-disease virus in Minn., 545
Pseudococcus maritimus, 171
Pseudomonas andropogoni, 330
--- angulata, 282
--- apii, 484
--- glycinea, 169, 579

(Pseudomonas) lachrymans, 220, 731
--- marginata, 106
--- phaseolicola, 386, 481, 567
--- tabaci, 14, 15, 170, 282, 386
--- tolaasii, 830
Pseudoperonospora cubensis, 220, 729
Pseudopeziza jonesii, 239
--- leaf spot, of Trifolium repens, 316
--- medicaginis, 239, 317
--- trifolii, 317, 318
Pseudopityophthorus spp., 867
--- pruinosus, 252
Pseudoplea, 340
--- trifolii, 317
Psidium guajava: Radopholus similis, 309
Psilenchus sp., 3, 221, 814
--- aberrans, 221
--- hilarulus, 221
Puccinia aeluropi, 518
--- andropogonis, 658
--- asparagi, 98
--- carthami, 652
--- coronata, 17, 23, 124, 281, 318, 320, 947
--- --- f. sp. agropyri, 324
--- --- f. sp. avenae, 322, 853, 945
--- --- f. sp. secalis, 324
--- dactylidis, 881
--- glumarum, 124
--- graminis, 318, 320, 438, 947, 948
--- --- f. sp. avenae, 18
--- --- f. sp. secalis, 18
--- --- f. sp. tritici, 17, 124, 281, 463
--- hordei, 19, 332, 948
--- longicornis, 518
--- poae-sudeticae, 316
--- rubigo-vera, 318, 319, 438, 948
--- --- --- f. sp. secalis, 18
--- --- --- f. sp. tritici, 17, 281, 438, 463, 643
--- simplex, 124
--- sorghi, 381
--- triticina, 124
Puerto Rico, 157, 283
Puffball, see Tylostoma
Pungentus sp., 3
Pura C-14-66, 688
Puraseed, 166, 648, 688
Puratized Agricultural Spray, 582, 739
Puratized C-13-1212, 845
Purple stain, of soybean, 174, 579
Pyracantha : Cylindrocladium scoparium, 1st rept. on this host (Ala.), 860; Fusicladium pyracanthae, 1st rept. from Mo., 658
Pyrausta nubilalis, European corn borer, 382
Pyrenophora bromi, 317
--- tritici-repentis, 318
Pyridimethione, 136
Pyrostegia venusta: Radopholus similis, 309
Pythium, 274, 339, 342; soybean, 682; Starr millet, 760
--- butleri, on corn, 695

Quercus: breaking dormancy in the greenhouse 873; leaf blister 467
---: oak wilt (Endoconidiophora fagacearum), 51, 256, 495, 783, 882, in Pa. 54, W. Va. 783; longevity of fungus in lumber affected by temperature and moisture content 429; longevity of fungus in roots 256; mat formation control by early felling 258; mats and pads of fungus 254; radial penetration of fungus 872; spread by air currents 977, by beetles 867, by tools 498, over long distances in Wis. 51, through root grafts 256
--- alba: oak wilt, fungus mats and pads on, 254
--- chrysolepis: Armillaria mellea, 658
--- dumosa: Armillaria mellea, 658
--- rubra: oak wilt, fungus mats and pads on, 254, natural spread in Iowa, 249

Races (see also strains): crown rust of oats, 949, of Rhamnus spp., 954, proposed modifications of the annual survey, 956; of leaf rust of wheat in U.S., 643; new race of safflower rust in Calif., 652; of powdery mildew of barley, seedling reaction of vars. and selections to, 968
Radioactive tracer studies on translocation past bark lesions in western white pine, 500
Radish: downy mildew, 416
Radopholus oryzae, 69, 221
--- similis, 395, 815
RAF, an improved fixative in nematode technique, 570
Ramularia pastinaceae, 747
--- vallisumbrosae, 748
Reaction (see also resistance, susceptibility), of Allium spp. to inoculation with Puccinia asparagi, 98; barley, corn, sorghum and related plants, grasses, millets, oats, sugar cane, rye and other plants to wheat streak mosaic virus, 633; of cotton to Verticillium wilt, measurement of disease, 690; of kenaf introductions and selections to races of Colletotrichum hibisci, 776; of oat vars. and selections to mosaic in S.C., 628; of lettuce vars. to rib discoloration and tip burn, 419; of safflower lines to rust, 652; of sweetpotato vars. to internal cork, 673
Red stain, of Acer negundo, 66
Red stele, of strawberry, 141
Resistance (see also reaction, susceptibility), of cabbage vars. to yellows, 414;

of oats to Septoria, 25; of oat vars. to smut, 960; sources and inheritance of resistance to barley stripe mosaic, 550; to Stewart's leaf blight and Northern leaf blight of corn, correlation between, 164
Rhabditis, 185
Rhamnus spp. : crown rust, physiologic races of 954
--- cathartica: crown rust, 322
Rhaphiolepis indica: Verticillium albo-atrum, 1st rept. on this host (Calif.), 693
--- ovata, see R. umbellata var. integerrima
--- umbellata var. integerrima: Verticillium albo-atrum, 1st rept. on this host (Calif.), 693
Rheum rhaponticum: Verticillium albo-atrum, 1st rept. from Calif., 693
Rhinotrichum macrosporum, 822
Rhizoctonia sp(p.), 342, 910; on Lilium longiflorum, 710; soybean, 682
--- collar rot, of tomato, 275
--- foliage blight, of Lotus corniculatus, 239
--- foot rot, of Pothos aureus, 240
--- root rot, of bean, 103
--- solani, 103, 170, 237, 239, 274, 275, 281, 319, 320, 339, 374, 407, 678
Rhizopus sp(p.), 409, 583, 676; on sorghum, 329; Starr millet, 760
--- nigricans, 175, 178
--- rot, of watermelon, 659
Rhode Island, 185, 405
Rhodesia, 737
Rhododendron spp. : European rhododendron rust, 1st rept. in U.S. (Washington), 781; Phyllosticta sp., 333
--- indicum: Cylindrocladium scoparium, 1st rept. on this host (Ala.), 860
--- obtusum japonicum: Cylindrocladium scoparium, 1st rept. on this host (Ala.), 860
Rhopalosiphum fitchii, 547
Rhynchosporium orthosporum, 316
--- secalis, 19, 281, 332, 948
Rib breakdown, of lettuce, 421
Rib discoloration, of lettuce, 418
Rice: diseases in eastern China, 789; Radopholus oryzae, new nematode on this host in Texas and La., 1st rept. in U. S., 69; Tylenchorhynchus sp., 4; white tip (Aphelenchoides besseyi), 3
Rice soils, nematodes found in, in Texas and Louisiana, 221
Ricinus communis: Alternaria sp., 184; Botrytis ricini, 283; charcoal rot, 1st report. in United States (Tex., Fla., S.C., Va., Md.,) 233; Pleospora sp., 184; Sclerotinia sclerotiorum, 585
Rivina humilis: Radopholus similis, 309
Rohm and Haas CR-305, 944
Root rot, of bean, 101; cotton, 12
Root rot complex, of Trifolium pratense, 239
Root and stem rot, of soybean, 170
Rosa spp. : anthracnose, 517
Rosellinia necatrix, 509
Rot, crown or culm, of oats, 18
Rots, of corn, 281
Rots, boll, of cotton, 583
Rotylenchus sp(p.), 4, 221, 401, 814
--- multicinctus, 4
Rotylenchulus reniformis, 4
Rough spot, of sorghum, 330
Rusts, see under the various genera and hosts
Rye: brome mosaic virus, 802; cereal yellow dwarf virus, Washington strain, 547; dwarf bunt, 686; Helminthosporium leaf spot, 332; leaf rust, 18, 948; leaf scorch, 948; leaf spot, 18; powdery mildew, 18; soil-borne wheat mosaic (Marmor tritici) in Va., 695; stem rust, 18; Xanthomonas translucens var. undulosa, 751

Safflower, see Carthamus
Sanocide, 845
Scab, of apple 280; citrus, 467; peach, 134, 280; potato, 274, 825; Prunus amygdalus, 504; wheat, 281
Scald, of barley, 19, 281, 332, 948
Scaphytopius acutus, 298
Sclerophthora macrospora, 18, 382, 755, 839
Sclerospora macrospora, see Sclerophthora macrospora
Sclerotinia, 340
--- camelliae, 519
--- crown and stem rot, of Lotus corniculatus, 316
--- sclerotiorum, 47, 407, 470; on Ricinus communis, 585
--- trifoliorum, 342, 317, 520
--- wilt, of bean, 47; soybean, 47
Sclerotium bataticola (see also Macrophomina phaseoli), 233
--- --- ssp. sesamica, 235
--- --- ssp. typica, 235
--- rolfsii, 280, 339, 342, 425, 579; on shallot, 746
Scolecotrichum graminis, 317, 320
Scolytidae, 868
Scurf, of sugar beet, 654; sweetpotato, 617, 739
Seed treatment, response of aged vegetable seed to, 115; of Vigna sinensis, 580
--- --- fungicides, for wheat smut control, comparative phytotoxicity of, 850
--- --- survey, in Dakotas and Minnesota, 649
--- --- tests, grain sorghum, 329; browntop millet, pearl millet and Sudan grass, 756; control of cereal diseases 166, of smut of wheat in Pacific Northwest 844

Seedling diseases, of cotton, 281
Seedox, 409
Semesan Bel, 409, 739, 919
Semesan, Jr., 758
Senecio cruentus: tomato aspermy virus, 153
Sensitivity, of bacterial plant pathogens to antibiotics, 486
Septoria avenae, 25, 963
--- black stem of oats, 947
--- corni-maris, on Cornus florida, 333
--- diseases, of wheat, 948
--- glycines, 170
--- nodorum, 17, 281, 318, 319, 332, 948
--- oudemansii, 320
--- tandilensis, 320
--- tritici, 17, 948
Sesame: diseases in eastern China, 790
Sesamum indicum: charcoal rot, 234
Setaria spp.: diseases in eastern China, 788
--- viridis: crazy top, 839
Setrete, 647, 648, 688, 845
Shallot: Aspergillus, Botrytis, Fusarium bulb rot, Penicillium, Sclerotium rolfsii, 746
Silicones, as lubricants for pea seed protectants, 909
Small grain diseases in Georgia, 17
Smuts, see under various genera and hosts
Sodium arsenite, 492
--- hypochlorite, 834
Soft rot, of sweetpotato, 409
Soil fumigation, methods of increasing efficacy of, in experimental fields, 511
Solanum gracile: cucumber mosaic virus, 346
--- nigrum: Radopholus similis, 309
--- sarachoides: Orobanche ramosa, 273
--- seaforthianum: Radopholus similis, 309
--- tuberosum subsp. andigenum: Andean disease (Thecaphora solani), 477
Sooty blotch, of Trifolium pratense, 239, 316
Sophora japonica: canker disease, 1st rept. on this host (Va.), 597; Cytospora sophorae, 597
Sorghum: Alternaria tenuis, 329; anthracnose, 330; Aspergillus sp., 329; bacterial stripe, 330; brome mosaic virus, 802; charcoal rot, 330; covered smut, 688; Curvularia lunata, 329; diseases and seed treatment tests in Ga., 329; Fusarium spp., 329; gray leaf spot, 330; Helminthosporium spiciferum, 329; leaf blight, 330; Penicillium sp., Rhizopus sp., 329; rough spot, zonate leaf spot, 330
--- (and allied species): diseases in eastern China, 790
Sorghum spp. (Kaoliang): diseases in eastern China, 788
--- halepense; Tylenchorhynchus sp., 4
--- vulgare sudanense: Belonolaimus gracilis, 5; seed treatment tests, 756
Sorosporium cenchri, 320
South Carolina, 5, 89, 134, 228, 233, 262, 409, 607, 628, 644, 874, 947, 952
South Dakota, 644, 952, 954
Southern blight (see also Sclerotium rolfsii), of Lippia canescens, 425; soybean, 579; tomato, 280
Soybean: bacterial blight, 169, 579; bacterial leafspots, 281; bacterial pustule, 169, 579; Belonolaimus gracilis, 5; Botrytis sp., 1st rept. in North America (Canada), 173; bronze leaf spot, 578; brown spot, 170; brown stem rot, 170; bud blight (virus), 170; charcoal root rot, 170, 578; damping-off, 281, diseases in eastern China, 790, in Iowa in 1954, 169; downy mildew, 170, 578; effect of planting date on incidence of fungus infection on seed in Florida, 174; fungus infection of seed as influenced by stink bug injury, 177; Fusarium spp., 682; Fusarium blight, 169; Helicotylenchus sp., 3; Heterodera glycines in N.C., 1st rept. of this nematode in U. S., 9; leaf spots, 578; mealybug (Pseudoccocus maritimus) 171; Phyllosticta leaf spot, 169; Phytophthora damping off, 1st rept. on this host (N.C.), 682; pod and stem blight, 170, 579; purple stain, 174, 579; Pythium spp., 682; Rhizoctonia sp., 682; root and stem rot, 170; Sclerotinia wilt, 47; southern blight, 579; stem canker, 169; Trichodorus sp., 4; Tylenchorhynchus sp., 4; viruses, 579; wildfire, 170; yellow bean mosaic virus, 170
Spain, 516
Speck rot, of potato, 695
Spergon, 89, 580, 688, 711, 756, 780
Spergon SL, 20
Spermospora avenae, 319
Sphaceloma rosarum, 517
Sphacelotheca sorghi, 688
Sphaeropsis malorum, 822
Sphaerotheca humuli, 275
Spinacia oleracea: tobacco ring spot virus, 803; tomato aspermy virus, 153
Spongospora subterranea, 407, cannot thrive in Brazil, 825
Spot blotch, of barley, 281, 948
Spotting, physiological, of barley, 19
Spray rig, for small field plots, 48
Sprayer, small plot, for fungicides and herbicides, 433
Spreading decline, of avocado, role of nematodes, 815
Squash: Belonolaimus gracilis, 5; Botrytis rot of fruit, 274
Stagonospora, 340

--- arenaria, 319
--- brachyelytri, 319
--- intermixta, 319
--- maculata, 317
--- meliloti, 316
--- simplicior, 320
--- simplicior f. andropogonis, 320
--- subseriata, 319
Stalk rot, of corn, 380
Staphylinidae, 51
Stem canker, of Melilotus 239; soybean, 169
Stem and crown rot, of alfalfa, 520
Stem rot, of sweetpotato, 918
Stemphylium, 341, 676
--- botryosum, 239, 318
--- leaf spot, of alfalfa, 316
--- loti, 317; on Lotus corniculatus, 659
--- sarcinaeforme, 317, 561
--- solani, 94, 185, 219
Stewart's leaf blight, of corn, 164
Stink grass, see Eragrostis cilianensis
Stone fruit tree rootstocks: hot water treatment not practicable for control of root-knot nematodes, 573
Strain(s), of barley stripe mosaic virus in Kans., 670; cereal yellow dwarf virus in Washington, 547; cowpea mosaic virus (Marmor vignae), 349; cucumber mosaic virus from cowpea plants, 346; tobacco ring spot, compared with lettuce calico virus, 803; tobacco ring spot virus on red clover in Ontario, 457; Xanthomonas translucens var. undulosa, on Bromus spp., 751
Strawberry: Belonolaimus gracilis, 5; black root rot, 603, 879; Botrytis fruit rot, 280; dwarf, 3; green petal in Nova Scotia, (similar to new virus disease found in England), 808; Helicotylenchus sp., 3; leaf variegation (genetic), a review of, 363; Meloidogyne hapla, 3, 879; nematode-infected, use of 3-p-chlorophenyl-5-methyl rhodanine as a soil amendment for, 812; parasitic nematodes, D-D fumigation of soil gave good control, 906; powdery mildew, 275; Pratylenchus spp., 879; Pratylenchus brachyurus, 3; red stele, fall-dug plants symptomless carriers, 141; tobacco necrosis virus, 143; Tylenchorhynchus claytoni, 3; Verticillium wilt, 371; virus diseases 280, review of literature, 525
--- virus studies, methods for determining success of graft unions between plants in, 31
Streptomyces scabies, 274, 825
Streptomycin, 118, 213, 215, 421, 480, 567, 616, 684, 731
--- nitrate, 15, 122, 128, 209
Streptomycin-pyrophyllite dusts, for control of blight of pear and walnut, 926
Streptomycin sulfate, 16, 209
Streptomycin-Terramycin, 209
Stripe, of barley, 18, 948
Stysanus stemonitis, 695
Sugarcane: Belonolaimus gracilis, 3, 7; diseases in eastern China, 790; Pratylenchus sp., 3; ratoon stunting disease (virus) in Puerto Rico, 157; Tylenchorhynchus sp., 4
Sulfite, 618
Sulfur, 134
Sunflower, see Helianthus
Survey, of oak wilt in West Virginia, 783; for sweetgum blight, 261
Susceptibility (see also reaction and resistance), of Allium spp. to Puccinia asparagi, 98; avocado to Dematophora root rot, 509; celery varieties to aster yellows, 36; lines of kenaf to Colletotrichum hibisci at different temperatures, 650; monocots and dicots to wheat streak mosaic virus, 633; oat vars. to race 216 of crown rust at different temperatures, 853; soybean lines and vars. to Phyllosticta leaf spot, 170
Sweetgum, see Liquidamber
Sweetpotato: Belonolaimus gracilis, 5; diseases in eastern China, 790; Fusarium stem rot, 280; Helicotylenchus sp., 3; internal cork (virus) 455, comparative development in two varieties 673, effect of storage temperature on development of, 619; Meloidogyne incognita, 3; scurf, 617, 739; soft rot, effect of post storage treatments on, 409; stem rot control in Ala., 918; Trichodorus sp., 4; Tylenchorhynchus sp. 4
Sycamore: anthracnose, fungicide tests for control of, 64
Symposium, papers from, on forage crop diseases and grassland farming, 342
Symptomatology, of hosts inoc. with lettuce calico virus and tobacco ring spot strains, 804
Synchytrium endobioticum, 407
Syringa: witches'-broom virus transmissible from lilac to Vinca by Cuscuta spp., 719
Systox, 705

Tag 331, 64, 845
Tagging method, for culture tubes, 437
Tank mixtures, of a fixed copper and a dithiocarbamate for control of downy mildew on cucumbers and cantaloupes, 220
Taphrina coerulescens, 467
--- populina, 695
Tatter leaf, of sweet cherry, 627
Tea: diseases in eastern China, 791
Tennessee, 7, 275, 280, 282, 365, 368, 644, 952

Tergitol 7, 64
Terraclor, 845
Terramycin, 128, 480, 731
Tersan, 581, 739
Tetragona expansa: tomato aspermy virus, 153; Verticillim albo-atrum, 1st rept. on this host (Calif.), 693
Tetylenchus, 908
Texas, 185, 221, 231, 233, 466, 583, 644, 656, 802, 853, 896, 952, 990
Thecaphora solani, 407, 477
Thielaviopsis basicola, 12
"Thioneb", 562
Thiram, 89, 104, 739
Tilletia caries, 163, 325, 684, 844, 850
--- (dwarf bunt), 159, 161, 163, 325, 378, 685, names used for fungus 685 (footnote)
--- foetida, 163, 166, 325, 844, 850
--- laevis, see T. foetida.
--- tritici, see T. caries
Tipburn, of lettuce, 274, 418
Tobacco: anthracnose, 282, 597; Belonolaimus gracilis, immunity from, 5; blackfire, 282; black shank, 282; blue mold, 14, 282, control through plant bed management 231, epiphytotics in the field 79, 228; blue mold fungus, chytrid attacking oospores of, 887; curly top (virus), 799; diseases in eastern China, 791; downy mildew, 467; frenching, 282; frog eye, 282; Fusarium wilt, 282; interaction of certain varieties and parasitic nematodes, 703; mosaic (virus), 282; color test to detect, 558; nematodes, 5, 282, 703; tomato aspermy virus, 153; wildfire, 282, control with streptomycin preparations, 14, 15
Tolmiea menziesii: powdery mildew (Sphaerotheca mors-uvae), 1st rept. on this host (Oregon), 334
Tomato: aspermy virus, 153; bacterial spot, 611, streptomycin gave partial control of, 215; Botrytis stem rot and leaf spot, 274; Colletotrichum root rot, 45; curly top (virus), 799, 801; diseases in eastern China, 791; early blight, 185; etch virus, 192; Fusarium wilt, 280; ghost spot, 91; gray leaf spot, 94, 185, reduced by filipin, 219; gray mold, 91; Helicotylenchus sp., 3; late blight, 467, in Rhodesia, 737; leaf mold, 185, 274; Meloidogyne incognita, 3; M. incognita var. acrita, 3, electrical treatments for control of, 397; mottle and necrotic flecking (virus), 192; nailhead spot, 185; nematodes, 280; Phomopsis sp., 1st rept. on this host from New York, 989; Phytophthora fruit rot, 280; Pratylenchus brachyurus, 3; puffball injury to seedlings, 1st rept. in North America, 656; Rhizoctonia collar rot, 275; southern blight, 280; spotted wilt (virus), 192; streak (virus), 192; viruses of the field, in Ontario, 191
Toxoptera graminum, 18
Transmission, of Endoconidiophora fagacearum, see oak wilt under Quercus; of Rubus virus to Fragaria vesca, 542; tobacco-rattle virus by means of Cuscuta campestris, 553; the western X-disease virus by Colladonus montanus 298
Trees (general, mostly ornamental), diseases in eastern China, 791
Tri-basic copper sulfate, 220, 616, 729,732
Trichoderma, 178, 270, 676, 833; on Starr millet, 760
Trichodorus spp., 401, 818, 908
Trichothecin, 125
Triethanolamine formalin (TAF), 570
Trifolium sp(p): Belonolaimus gracilis, 5; diseases in eastern China, 787
--- pratense: angular leaf spot, 239; anthracnose, northern and southern, 239; blackstem, 239; clover root borer a vector of anthracnoses of, 183; leaf blight (Curvularia trifolii) 1st rept. in this country (Fla., Md.) on this host, 181; mealybug, 171; mosaic (virus), 316;
--- pratense: Polymyxa graminis, 859; powdery mildew, 239, 316; ring spot (virus), 457; root rot complex, 239; rust, sooty blotch, 239, 316; Stemphylium leaf spot, 239; vein mosaic (virus), 316
--- repens: Meloidogyne incognita var. acrita, 3; mosaic, 316; Pseudopeziza leaf spot, 316; rust, 316; stolon diseases and the damage-growth cycle, 339
--- --- var. Ladino: leaf blight, 181; phyllody, indication of strain of the aster yellows complex in Maine, 1st rept. in eastern potato-growing areas, 300
--- subterraneum: Glomerella cingulata, 576
2, 3, 5-triphenyl tetrazolium chloride to detect viruses in plants by color test, 558
Trisetum cernuum: Ophiobolus graminis, 989
Triticum aestivum: dwarf bunt, 686; Neovossia indica, 1st rept. from Afghanistan, 518; (see also wheat)
--- spelta: dwarf bunt, 686
Tritisan, 378, 648
Turkestan, 686
Turkey, 518
Turnip: downy mildew, 275
Twist, of wheat, 17
Tylenchinae, 571
Tylencholaimellus sp., 4
Tylenchorhynchus sp(p.), 4, 221, 401, 679
--- claytoni, 4, 703, 818, 906
Tylenchulus semi-penetrans, 4, 989
Tylenchus sp., 221, 814

Ulmus spp.: Dutch elm disease, spread

(Ulmus spp.) in Illinois, 245; phloem necrosis (virus), 247
--- americana: Armillaria mellea, 1st rept. from Calif., 658; Dutch elm disease in Tennessee, 882
Urena lobata: Radopholus similis, 309
Uromyces sp., 277; on Trifolium repens, 316
--- andropogonis, 319
--- anthyllidis f. trigonellae, 278
--- ciceris-arietini, 277
--- fabae, 277, 278
--- phaseoli, 277
--- --- var. vignae, 278
--- pisi, 277
--- renovatus, 277
--- striatus, 277
--- --- var. medicaginis, 239
--- trifolii, 239, 278, 316
Urophlyctis alfalfae, 697
Ustilago spp., 281
--- avenae, 18, 166, 647, 947, 960
--- hordei, 166
--- kolleri, 166, 947, 960
--- nigra, 166
--- nuda, 18, 19, 20, 281, 948
--- striiformis, 316, 320
--- syntherismae, 319
--- tritici, 17, 281, 948
Utah, 325, 686, 844

Valsaria megalospora, 334
Vancide, 758, 648
Vancide 51, 64, 104, 117, 409, 845
Vancide 51 plus Vancide sticker, 986
Vancide 51Z W, 89
Vancide F995W, 89, 133
Vancide Z65, 133
V-C 13, 400
Vectors and hosts, of tomato aspermy virus, 152
Vegetables: galls due to 2, 4-D on plants in Idaho, 391; response of aged vegetable seed to seed treatment, 115
Velsicol, 845
Venezuela, 477
Venturia inaequalis, 280
Veracruz, 47
Verbesina encelioides: tomato aspermy virus, 153
Verticillium sp., 676, 830, on Starr millet, 760
--- albo-atrum, 12, 226, 281, 589, 690, 693, 881; on Acer mono, 882
--- wilt, of cotton 12; Cucumis melo vars., 881; eggplant, 589; okra, 589; strawberry, 371
Vetch, see Vicia
Viburnum tinus: Armillaria mellea, 658
Vicia spp.: Glomerella cingulata, 576
--- villosa: Glomerella cingulata, 576; Meloidogyne incognita var. acrita, 3
Victoria blight, of oats, 332, 947
Vigna: viruses in Florida, 345, 349, 354
--- sesquipedalis: Verticillium albo-atrum, 1st rept. on this host (Calif.), 693
--- sinensis: Belonolaimus gracilis, 5; cucumber mosaic virus, 346; Glomerella cingulata, 576; Pratylenchus brachyurus, 3; seed treatment, 580; tobacco ring spot virus, 803
Vinca rosea: lilac witches'-broom virus graft-transmissible from lilac to lilac, and from V. rosea to Vinca, 719
Virginia, 5, 141, 228, 233, 262, 343, 363, 520, 597, 644, 655, 695, 874, 952
Virus diseases: aphid vectors, working list of names, 445; of potato in Bolivia, 407; soybean, 579; strawberry, 280, 525, virus studies, 31
--- --- aster yellows of celery, 36; Chrysanthemum leucanthemum, 300; Zinnia elegans, 300
--- --- bud blight of soybean, 170
--- --- calico of lettuce, 803; hosts inoculated with lettuce calico strains, 803
--- --- cereal yellow dwarf, of barley, oats, wheat, rye, 547
--- --- color reaction tests to identify virus diseases of grapevines, 150; color test for, in plants, 558
--- --- curly top of Datura stramonium, petunia 799; sugar beet 453, 801; tobacco, 799; tomato, 799, 801
--- --- etch of tomato, 192
--- --- flower-distortion, 899
--- --- internal cork of sweetpotato, 455, 619, 673
--- --- latent virus disease of cherry on cucumber, 148
--- --- lilac witches'-broom virus, dodder transmission of, 719
--- --- little cherry type virus of Prunus serrulata, 725
--- --- mosaic of alfalfa, 520; clovers, 316; Crotalaria spectabilis, 349; Digitalis lanata, 284; oats, 18, 628, 947; pepper, 346; tobacco, 282; Trifolium pratense, 316; wheat, 948
--- --- barley stripe mosaic of wheat, 460
--- --- brome mosaic of barley, Bromus inermis, corn, oats, rye, sorghum, wheat, 802
--- --- cucumber mosaic virus of Asclepias curassavica, 555, cowpea, lima bean, 346, Nicotiana spp., 557, Solanum gracile, 346
--- --- mild mosaic of potato, 274
--- --- mottle mosaic virus from red raspberry transferred to Fragaria vesca by graftage, 893
--- --- peach-mosaic virus, Eriophyes

(Virus diseases) vector of, 889
--- --- soil-borne wheat mosaic of rye and wheat in Va., 695, of wheat in Kans., 29
--- --- streak mosaic of wheat, 29, 291, 296, host range studies of, 633
--- --- stripe mosaic of barley, 550, 670 722
--- --- vein mosaic of Trifolium pratense, 316
--- --- yellow bean mosaic of soybean, 170
--- --- mottle of tomato, 192; necrosis of potato, 659; strawberry, 143; necrotic flecking of tomato, 192
--- --- phloem necrosis of elm, 247
--- --- phyllody in Ladino clover, 300
--- --- potato virus S, of Cyamopsis tetragonoloba, 622
--- --- ratoon stunting disease of sugarcane, 157
--- --- ring spot of sweet cherry, 623; necrotic ring spot of cucumber, 727, mahaleb cherry, 727, plums, survival during periods of extremely cold weather 807, Prunus, 194; tobacco ringspot, aphid transmission in gladiolus, 35; tobacco ring spot strains, hosts inoculated with, 803
--- --- soil-borne virus of oats, 18
--- --- spotted wilt of tomato, 192
--- --- streak of tomato, 192
--- --- stunt of chrysanthemum, 33
--- --- tobacco-rattle virus transmitted by dodder, 1st rept. of soil-borne virus transmitted by dodder, 553
--- --- tomato aspermy virus, hosts and vectors, 152, plants insusceptible, 154
--- --- transmission of Rubus virus to Fragaria vesca, 542
--- --- western X-disease, transmission by Colladonus montanus, and other leafhoppers, 298, viability in stored peach budwood, 543
--- --- witches broom of potato, 274
--- --- X-disease virus, distribution of, on chokecherry in Minn., 545
Virus infected plant tissues, color reaction with sulfite, 617
Vitrioline, 166

Wart, of potato, 407
Washington, 543, 547, 570, 587, 644, 725, 820, 842, 844, 850, 989
Watermelon: Belonolaimus gracilis, immunity, 5; Fusarium wilt, 334; Mycosphaerella black rot, 659; Rhizopus rot, 659
Weather 1954: Nov., 74; Dec., 187
Weather 1955: Jan., 286; Feb., 335; March, 440; April, 521; May, 598; June, 660; July, 699; Aug., 794; Sept., 883; Oct., 991
Weather injuries: freeze injury to alfalfa, 520
Weather relations, dryland root rot of wheat, 373; effect of lima bean cover on temperature and relative humidity, 473; internal brown spot of potato assoc. with hot dry weather, 37; longevity of Endoconidiophora fagacearum in lumber affected by temperature and moisture content, 429; to plant disease development in Fla., 467; rainfall and temperature effect on incidence of Sclerotinia sclerotiorum in Fla., 1944-1954, 470; stolon damage of white clover and maximum temperatures, 399; temperature effect on response of oats to race 216 of crown rust, 853
Weeds: Belonolaimus gracilis, 5; hosts of broomrape, 273
West Virginia, 318, 332, 644, 783, 914,952
Wheat (see also Triticum), Anguina tritici, 17; barley stripe mosaic (virus) transmission through seed, 460; brome mosaic virus, 802; bunt, 166, effect of antibiotics on growth of, 684, HCB gave better control than mercury preparations, 842; cereal yellow dwarf virus, Washington strain, 547; cross inoculations with dwarf bunt on wheat and grasses, 161; diseases in eastern China, 791; dryland root rot, 373; dwarf bunt, 378, field infection experiments, Ontario, 159; glume and leaf blotch, 17, 281; leaf rust, 17, 124, 281, 948, physiologic races in U. S. in 1954, 643, in Oklahoma, 438; leaf spotting, 17; loose smut, 17, 281, 948; mosaics, 948; powdery mildew, 17, 948; rust, concentration of air borne spores in relation to epidemiology of wheat rusts in Kans., 463; scab, 281; Sclerospora macrospora, 1st rept. from Va., 695; Septoria diseases, 948; Septoria nodorum, 332; smut, seed treatment tests, 844; smut control, comparative phytotoxicity of seed treatment fungicides, 850; soil-borne wheat mosaic, 29, in Va., 695; stem rust, 17, 281, 948, control with antibiotics, 124; streak-mosaic virus, 29, predicting epiphytotics, 291, vector (Aceria tulipae) found in the air, 296; stripe rust, 124; twist, 1st rept. from Ga. 17; Xanthomonas translucens var. undulosa, 751
White tip, of rice, 3
Wildfire, of soybean 170; tobacco, 14, 15, 282
Wilt, oak, see under Quercus
Wilt, vascular, of Albizzia julibrissin, 874
Wisconsin, 25, 51, 228, 284, 644, 799, 952, 954, 963

Wyoming, 101

X-521, 909
Xanthium spinosum: Orobanche ramosa, 273
Xanthomonas corylina, 68, 929
--- juglandis, 68, 926, 929
--- phaseoli, 213, 567, 579
--- --- var. sojense, 169
--- streak, of Agropyron repens, 751; Phleum pratense, 751
--- translucens var. undulosa, strain on Bromus spp., 751
--- vesicatoria, 215, 386, 480, 611, 616
Xiphinema, 680, 814, 908
--- americanum, 4
Xyleborus spp., 867
Xyleterinus politus, 867

Yellow flecking and striping, of oats, 18
Yellow leaf blister, of populus nigra var. italica, 695
Yellow leaf blotch, of alfalfa, 239
Yellow tuft, of Agrostis canina, 185
Yellows, of cabbage, 414
YF 3576, 648
Yugoslavia, 518

Zantedeschia spp.: rhizome treatments for control of bacterial soft rot and Phytophthora root rot, 779
Zerlate, 739
Zineb, 95, 133, 209, 220
Zineb-PCNB, 96
Zinnia elegans: aster yellows (virus) 300; tobacco ring spot virus, 803; tomato aspermy virus, 153
Ziram, 220
Zonate leaf spot, of sorghum, 330

ERRATA

On page 4, under 34., 7th line read A. L. Taylor, instead of A. L. Tyalor.

On page 64, read I. R. Schneider and R. J. Campana, instead of I. R. Schenider and R. J. Campana

On page 278, under MEDICAGO SATIVA, read Oidiopsis taurica instead of Oidiopsis taruica.

On page 401, 4th paragraph, read Aphelenchoides sp. instead of Aphlenchoides sp.

On page 570 under title read Wilbur D. Courtney, Dorothy Polley, and V. L. Miller, instead of Wilbur D. Courtney, Dororthy Polley, and V. L. Miller.

On page 576 under Leguminosae read Vicia angustifolia instead of Vicia augustifolia.

On page 695, 5th paragraph read Coleosporium laciniariae instead of Colesporium laciniariae.

See also corrections on pages 69, 186, 439, 793, 882, 990

PLANT DISEASE EPIDEMICS AND IDENTIFICATION SECTION